ID-Nr. 30561-040

Model CS.195.054



Dimensions	
Width (external)	545.00 mm
Depth (external)	520.00 mm
Height (external)	1950.00 mm
Width (internal)	486.00 mm
Depth (internal)	493.00 mm
Height (internal)	1835.00 mm

The available internal dimensions can vary depending on the interior equipment package.

Weight / Load	
Weight without interior equipment	51 kg
Distributed load	786.00 kg/m²
Maximum load	600 kg

Ventilation	
Extraction air	75 DN
Minimum exhaust air quantity 10 times	4 m³/h
Differential pressure (10 times air change)	1 Pa

Colouring / Surface finish	
Body colour code	RAL 7016
Body colour	anthracite grey
Body surface finish	textured
Door / Drawer colour code	RAL 1004
Door / Drawer colour	Warning yellow
Door / Drawer surface finish	textured

General Information	
Number of doors	1
Depth with open doors	1010 mm
Customs tariff number	94032080

EN 16121
EN 16122


Cabinet for chemicals CS-CLASSIC
Model CS.195.054, body colour anthracite grey
(RAL 7016), with wing door in warning yellow (RAL 1004)


Safe and proper storage of non-flammable chemicals and toxic substances in working areas

Function / construction:


- **Robust construction and longevity:** robust, high-quality, scratch-resistant outer body with powder-coated textured surface
- **No unauthorised use:** door lockable with cylinder locking (integrated in the turning handle)
- **Easy alignment:** adjusting aids to compensate for uneven floor
- **Ventilation:** natural ventilation due to ventilation openings at the cabinet bottom, ready for connection to a technical exhaust system

Front view






Side view



Top view



ID-Nr. 30532-040

Model CS.195.081







Cabinet for chemicals CS-CLASSIC
Model CS.195.081, body colour anthracite grey (RAL 7016), with wing doors in warning yellow (RAL 1004)

Safe and proper storage of non-flammable chemicals and toxic substances in working areas

Function / construction:

- **Robust construction and longevity:** robust, high-quality, scratch-resistant outer body with powder-coated textured surface
- **No unauthorised use:** doors lockable with cylinder locking

Dimensions	
Width (external)	810.00 mm
Depth (external)	520.00 mm
Height (external)	1950.00 mm
Width (internal)	751.00 mm
Depth (internal)	493.00 mm
Height (internal)	1835.00 mm

The available internal dimensions can vary depending on the interior equipment package.


Weight / Load	
Weight without interior equipment	68 kg
Distributed load	543.00 kg/m²
Maximum load	600 kg


Ventilation	
Extraction air	75 DN
Minimum exhaust air quantity 10 times	7 m³/h
Differential pressure (10 times air change)	1 Pa

Colouring / Surface finish	
Body colour code	RAL 7016
Body colour	anthracite grey
Body surface finish	textured
Door / Drawer colour code	RAL 1004
Door / Drawer colour	Warning yellow
Door / Drawer surface finish	textured


General Information	
Number of doors	2
Depth with open doors	904 mm
Customs tariff number	94032080

Front view






Side view



Top view



ID-Nr. 30495-040

Model CS.195.105







Cabinet for chemicals CS-CLASSIC
Model CS.195.105, body colour anthracite grey (RAL 7016), with wing doors in warning yellow (RAL 1004)

Safe and proper storage of non-flammable chemicals

Dimensions	
Width (external)	1055.00 mm
Depth (external)	520.00 mm
Height (external)	1950.00 mm
Width (internal)	996.00 mm
Depth (internal)	493.00 mm
Height (internal)	1835.00 mm

The available internal dimensions can vary depending on the interior equipment package.


Weight / Load	
Weight without interior equipment	75 kg
Distributed load	421.00 kg/m²
Maximum load	600 kg


Ventilation	
Extraction air	75 DN
Minimum exhaust air quantity 10 times	9 m³/h
Differential pressure (10 times air change)	2 Pa

Colouring / Surface finish	
Body colour code	RAL 7016
Body colour	anthracite grey
Body surface finish	textured
Door / Drawer colour code	RAL 1004
Door / Drawer colour	Warning yellow
Door / Drawer surface finish	textured


General Information	
Number of doors	2
Depth with open doors	1026 mm
Customs tariff number	94032080

Front view






Side view



Top view



ID-Nr. 30497-040

Model CS.195.105.FD



Dimensions	
Width (external)	1055.00 mm
Depth (external)	520.00 mm
Height (external)	1950.00 mm
Width (internal)	996.00 mm
Depth (internal)	493.00 mm
Height (internal)	1835.00 mm

The available internal dimensions can vary depending on the interior equipment package.

Weight / Load	
Weight without interior equipment	75 kg
Distributed load	421.00 kg/m²
Maximum load	600 kg

Ventilation	
Extraction air	75 DN
Minimum exhaust air quantity 10 times	9 m³/h
Differential pressure (10 times air change)	2 Pa

Colouring / Surface finish	
Body colour code	RAL 7016
Body colour	anthracite grey
Body surface finish	textured
Door / Drawer colour code	RAL 1004
Door / Drawer colour	Warning yellow
Door / Drawer surface finish	textured

General Information	
Number of doors	2
Depth with open doors	758 mm
Customs tariff number	94032080






Cabinet for chemicals CS-PHOENIX
Model CS.195.105.FD, body colour anthracite grey (RAL 7016), with folding doors in warning yellow (RAL 1004)


Safe and proper storage of non-flammable chemicals and toxic substances in working areas

Function / construction:


- **Robust construction and longevity:** robust, high-quality, scratch-resistant outer body with powder-coated textured surface
- **Space saving folding doors:** less required space in front of the cabinet while doors are open
- **No unauthorised use:** doors lockable with cylinder locking

Front view






Side view



Top view



ID-Nr. 30557-040

Model CS.110.054



Cabinet for chemicals CS-CLASSIC
Model CS.110.054, body colour anthracite grey
(RAL 7016), with wing door in warning yellow (RAL 1004)

Safe and proper storage of non-flammable chemicals


Dimensions	
Width (external)	545.00 mm
Depth (external)	520.00 mm
Height (external)	1105.00 mm
Width (internal)	486.00 mm
Depth (internal)	493.00 mm
Height (internal)	990.00 mm


The available internal dimensions can vary depending on the interior equipment package.


Weight / Load	
Weight without interior equipment	31 kg
Distributed load	520.00 kg/m²
Maximum load	400 kg


Ventilation	
Extraction air	75 DN
Minimum exhaust air quantity 10 times	2 m³/h
Differential pressure (10 times air change)	

Front view	Side view	Top view









ID-Nr. 30494-040

Model CS.110.105.FD



Cabinet for chemicals CS-PHOENIX
Model CS.110.105.FD, body colour anthracite grey (RAL 7016), with folding doors in warning yellow (RAL 1004)

Safe and proper storage of non-flammable chemicals and toxic substances in working areas

Function / construction:


Dimensions	
Width (external)	1055.00 mm
Depth (external)	520.00 mm
Height (external)	1105.00 mm
Width (internal)	996.00 mm
Depth (internal)	493.00 mm
Height (internal)	990.00 mm


The available internal dimensions can vary depending on the interior equipment package.


Weight / Load	
Weight without interior equipment	48 kg
Distributed load	279.00 kg/m²
Maximum load	400 kg


Ventilation	
Extraction air	75 DN
Minimum exhaust air quantity 10 times	5 m³/h
Differential pressure (10 times air change)	1 Pa

Front view	Side view	Top view









Atelier Boonen info@atelierboonen.be · www.atelierboonen.be