



EN 1143-1
Gr. IV-V



Atrius

THE EFFECTIVE ANSWER TO BURGLARY
PROTECTION

Atrius

A prominent-security protection for your important valuables. Atrius offers a high degree of resistance even against the most performant attack tools.

KEY BENEFITS

BURGLARY CERTIFICATION:

Atrius safes have been subjected to rigorous testing and have been awarded the A2P label by CNPP (Centre National de Prévention et de Protection) for Grade IV and V according to EN 1143-1 European standard. The safes have also met the ECB•S requirements for burglary protection.

ENHANCED DESIGN: Each model has a choice of interior fittings so that you can make maximum use of available space.

IMPROVED OPERATION: A new opening handle ensures you the best taken in hand for an optimal comfort.

CONVENIENT APPEARANCE: The elegance of Atrius is emphasised by its refined shape,

its sober RAL 7040 light-grey colour with dark handle and escutcheon.

TWO PROTECTION GRADES: IV and V

FIVE SIZES PER GRADE: 139, 210, 308, 416, 596 (litre capacity)


CERTIFIED LOCKS:

For Grade IV and V, safes must be fitted with two Level B-certified locks. As standard, Atrius is available with two key locks. Optionally, a list of certified electronic or combination locks are possible, all of which have received the A2P Label from the CNPP and certified by ECB•S for Level B according to EN 1300 European standard.




CHOOSE FROM A VARIETY OF OPTIONAL FITTINGS


Shelf ; Reinforced shelf ; Shelf with files holding system ; Lockable compartment (200- or 400-mm high) (the 400mm-version is not available for model 60) ; Lockable drawer.




Shelf




Reinforced shelf



Shelf for hanging suspension files



Lockable compartment



Lockable drawer

THE VALUE OF CONVENIENCE

Atrius safes are suitable for most office or retail environments for which practicality and convenience are important. They have been developed with user-friendliness and high performance in mind to fulfill the highest expectations. All models in the range have a protective barrier built using the specially patented GRAD-X composite material for burglary protection. This is strengthened by the durable steel boltworks. Reinforced hinges provide extra protection from attacks.

The door handle and other furnishings have been ergonomically designed for ease of use. A full range of high-quality interior fittings is available to maximise use of storage space.



BURGLARY PROTECTION

In order to obtain the EN 1143-1 classification, the Atrius has been first subjected to a series of stringent break-in tests using different tools. Points have been awarded according to the length of time each break-in attempt took and the type of tools used. The total number of points then determined the grade of the safe.

Once tested, the safes have been analysed by the test laboratory in order to verify that they correspond to the technical drawings delivered prior to the test.

TWO PROTECTION GRADES, FIVE SIZES PER GRADE

The protection grades and sizes meets every security need. The insurable value of items within the safe increases based on one of the protection grades: €110,000 (Grade IV) and €200,000 (Grade V).

FICHET-BAUCHE PROMISE

Fichet-Bauche products are designed and manufactured in accordance with the ISO 9001 standard for Quality Management Systems, ISO 18001 for Occupational Health and Safety Management Systems and ISO 14000 for Environmental Management Systems. All Atrius safe components are tested by the Fichet-Bauche laboratory in compliance with the current European standards.

LOCKING

Choose from a combination of mechanical and electronic lock combinations:


		MxB-B	MxB-B	MxB-C	Monéo S	Nectra (Basic or Audit)	GSL 1000 (Grade B)
Grade IV	1st lock	X					X
	2nd lock		X		X	X	X
Grade V	1st lock	X					X
	2nd lock		X		X	X	X



From left: Fichet-Bauche's unique MxB-B key, Moneo, Nectra and GSL 1000.

Atrius

TECHNICAL SPECIFICATIONS



Dimensions (mm)	14	20	30	40	60
External height	790	920	1270	1470	1850
External width	730	730	730	810	880
External depth	640	740	740	740	740
Internal height	620	750	1100	1300	1680
Internal width	560	560	560	640	710
Internal depth	400	500	500	500	500
Interior capacity (litres)	139	210	308	416	596
Weight Grade IV (kg)	603	760	985	1201	1558
Weight Grade V (kg)	609	767	999	1217	1575

AUTHORISED DEALER