Atelier Boonen - Technomax Gold



Additional information

brand: Technomax

Technomax Gold – Free-standing private safe, Security level S2 (EN 14450)

The Technomax Gold free-standing safe is designed for placement in cabinets, on shelves or other accessible locations, and offers a functional solution for private use in situations with a limited security risk. The GMK, GMD and GMT models are certified according to EN 14450, Security level S2.

The safe has a 5 mm single-walled body and a door and front panel in 10 mm steel, manufactured using laser cutting and fitted with a reinforced profile against lever or prying attacks. Key components of the locking mechanism are protected by a manganese steel anti-drill plate. The front is virtually flat: on the GMK and GMT almost nothing protrudes, and on the GMD only the three code dials (about 10 mm) — convenient for placement in a cabinet, where every centimetre counts.

Depending on the model, the safe is equipped with:

- a double-bitted key lock (GMK – EN 1300, class A),
- a double-bitted key lock combined with a mechanical combination lock with three dials (GMD) — the safe only opens with the key when the three dials show the correct code,
- or an electronic code lock with emergency key (GMT).

The safe is prepared for anchoring through four fixing holes in the base and four in the back wall. The Technomax Gold is the free-standing model; the same series is also available as the Technomax Gold built-in safe for those who prefer a wall safe to be built in. If you are looking for fire protection in addition to burglary resistance, see the Technomax DP. Available in several formats — a reliable choice for an accessible private safe with basic protection.

See also our other burglary resistant safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Burglary resistant according to EN 14450, Security level S2
Indication value storage Security level S2: € 5 000 cash or € 9 000 valuables

- The GMK, GMD and GMT models are certified Security level S2; the GMT3P model is not certified.
- Door and frame in 10 mm steel; single-walled body in 5 mm steel, fully welded without seams.
- Three-sided locking*, reinforced hinges on the inside of the safe (*except GMx3P).
- Virtually flat front: on GMK and GMT almost nothing protrudes, on GMD only the three code dials (± 10 mm).
- GMK with double-bitted key lock (EN 1300, class A).
- GMD with double-bitted key lock and mechanical combination lock with three dials; opening is only possible with the key when the code is correct.
- GMT with electronic code lock on batteries, with emergency power terminals and a double-bitted emergency key lock.
- Four anchoring holes in the base and four in the back wall.
- Colour: dark blue.

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Technomax GMK 3	H220 W350 D300	H200 W340 D245	18 L	25 kg	1
Technomax GMK 4	H280 W400 D350	H260 W390 D295	31 L	36 kg	1
Technomax GMK 5	H350 W470 D350	H330 W460 D295	47 L	48 kg	1
Technomax GMK 6	H430 W490 D350	H410 W480 D295	60 L	56 kg	1
Technomax GMK 7	H490 W430 D400	H470 W420 D345	70 L	61 kg	1
Technomax GMD 3	H220 W350 D300	H200 W340 D245	18 L	25 kg	1
Technomax GMD 4	H280 W400 D350	H260 W390 D295	31 L	36 kg	1
Technomax GMD 5	H350 W470 D350	H330 W460 D295	47 L	48 kg	1
Technomax GMD 6	H430 W490 D350	H410 W480 D295	60 L	56 kg	1
Technomax GMD 7	H490 W430 D400	H470 W420 D345	70 L	61 kg	1
Technomax GMT 4	H280 W400 D350	H260 W390 D295	31 L	36 kg	1
Technomax GMT 5	H350 W470 D350	H330 W460 D295	47 L	48 kg	1
Technomax GMT 6	H430 W490 D350	H410 W480 D295	60 L	56 kg	1
Technomax GMT 7	H490 W430 D400	H470 W420 D345	70 L	61 kg	1

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Technomax GMT 3	H220 W350 D300	H200 W340 D245	18 L	25 kg	1