

Atelier Boonen - Technomax DP



Additional information

Technomax DP – Fire-resistant private safe for documents (LFS30P, Security Level S2)

The Technomax DP is a fire-resistant private safe, certified according to EN 15659 – LFS30P. It offers 30 minutes of fire protection for paper documents at temperatures up to 850°C. The safe is also tested for burglary resistance to EN 14450 – Security Level S2.

The double-walled steel body is filled with fire-resistant insulation and fitted with a thermal door seal. With concealed internal hinges, nothing protrudes on the hinge side. The door opens to 90°.

The Technomax DP is available with:

- a double-bitted key lock
- an electronic code lock with emergency power contacts and integrated override key
- or a combination of key lock and 3-button mechanical combination lock.

All locking systems are flush with the door surface, except for model DPD, where the lock protrudes 10mm.

Prepared for floor and wall anchoring; mounting hardware included.

Fireproof 30 min for paper

Burglary-resistant in accordance with EN 14 450 Security level S2

- Tested and certified against burglary according to EN 14 450 Security level S2.
- Fire resistant tested 30 minutes for paper according to EN 15659 LFS 30P
- Door and frame 10mm steel, body double-walled padded with fire resistant filling.
- Three-way locking, reinforced hinges on the inside of the safe.
- DPE with battery operated electronic lock, equipped with contact points for emergency power supply and also equipped with double bit emergency key lock.
- DPK with double bit key lock.
- DPD with double bit key lock and three-button mechanical code lock.
- Anchor holes provided in back and bottom

- Color: gold gray

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
DPK 4	H280 W400 D355	H170 W305 D245	13 L	34 kg	0
DPK 5	H350 W490 D430	H240 W380 D310	24 L	52 kg	1
DPK 7	H490 W430 D430	H380 W330 D310	39 L	64 kg	1
DPD 4	H280 W400 D355	H170 W305 D245	13 L	34 kg	0
DPD 5	H350 W490 D430	H240 W380 D310	28 L	52 kg	1
DPD 7	H490 W430 D430	H380 W330 D310	39 L	64 kg	1
DPE 4P	H280 W400 D355	H170 W305 D245	13 L	34 kg	0
DPE 5P	H350 W490 D430	H240 W380 D310	28 L	52 kg	1
DPE 7P	H490 W430 D430	H380 W330 D310	39 L	64 kg	1