Atelier Boonen - Salvus Ferrara



Additional information

brand: Salvus safes

Salvus Ferrara – Burglary-resistant safe Grade 1 (EN 1143-1, ECB·S)

The Salvus Ferrara is a Grade 1 burglary-resistant safe, tested and certified by ECB·S according to the European standard EN 1143-1.

The construction consists of a multi-walled steel body, filled with a composite, and a door with a 10 mm steel front panel. Thanks to the thin build of the walls and door, the Ferrara offers plenty of interior volume within remarkably compact external dimensions. The safe is also shallow, making it ideal for discreet installation in a cabinet or dressing room, for example.

The door has three-sided locking with solid steel bolts; the lock and boltwork are additionally protected by a manganese steel anti-drill plate. The hinges are internal and allow a door opening of up to 90° — nothing protrudes on the hinge side. For an even flatter front, an optional flat folding handle is available, protruding only 15 mm; electronic code locks with a flat keypad are also offered. The safe can thus easily be built in without anything getting in the way.

As standard, the Salvus Ferrara is equipped with an EN 1300 certified double-bitted key lock. Optionally, versions are available with a mechanical combination lock or an electronic code lock.

The Ferrara is available in several sizes from 45 to 100 litres, each with height-adjustable shelves. Prepared as standard for floor anchoring. Finished in graphite grey RAL 7024.

See also our other burglary resistant safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Burglary resistant class 1
Indication value storage class 1: € 10 000 cash or € 20 000 valuables

- Tested and certified by ECB·S in accordance with the European standard EN 1143-1, Grade I.
- Multi-walled construction of walls and door, filled with a composite; front panel in 10 mm steel.
- Three-sided locking with solid steel bolts.
- Lock and boltwork protected by a manganese steel anti-drill plate.
- Internal reinforced hinges; door opening up to 90°.
- Optional: flat folding handle (protrudes only 15 mm) and electronic code lock with flat keypad.
- Equipped as standard with a double-bitted key lock; mechanical combination lock or electronic code lock possible.
- Height-adjustable shelves.
- Prepared as standard for floor anchoring.
- Colour: graphite grey RAL 7024.

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Salvus Ferrara 46	H460 W440 D382	H393 W392 D293	45 L	86 kg	1
Salvus Ferrara 67	H670 W440 D382	H537 W392 D293	61 L	120 kg	1
Salvus Ferrara 84W	H840 W650 D550	H773 W604 D465	217 L	236 kg	2
Salvus Ferrara 90	H900 W440 D382	H852 W392 D293	98 L	145 kg	1