

## Atelier Boonen - Sistec TSF - Fire-Resistant cabinet



### Additional information

Sistec TSF - Fire-Resistant Safe (EN 15659 LFS 30P / EN 14450 S2)

The Sistec TSF fire-resistant safe provides reliable protection for your documents. It is certified by ECB-S and offers light fire protection according to the EN 15659 LFS 30P standard, ensuring the safe remains 30 minutes fire-resistant for documents at temperatures up to 850°C. This standard is ideal for environments with a low fire risk, such as homes or offices.

The Sistec TSF is tested and certified for burglary protection with an S2 certification according to EN 14450, making it suitable for the secure storage of documents and valuables in environments with a low risk of burglary.

The safe features a three-sided locking mechanism with steel bolts, providing additional protection against forced entry. It comes standard with a double-bitted key lock, but the Sistec TSF can also be equipped with various lock options for enhanced security and ease of use.

The Sistec TSF is equipped with adjustable shelves and offers the possibility of adding various accessories, such as internal compartments and an extendable file frame, allowing the internal layout to be customized to your needs. The safe is also prepared for anchoring, offering extra protection against theft.

The Sistec TSF comes in a light grey color (RAL 7035) and is an excellent choice for securely storing documents and valuables in environments where both fire protection and burglary protection are required.

Fireproof 30 min for paper

Burglary-resistant Security level S2

- Tested and certified by ECB.S in accordance with European standard EN 14450 security level S2
- Fire resistant tested 30 minutes for paper according to EN 15659 LFS 30P
- Three-sided locking by means of steel bolts

- Hook-in profile on the hinge side
- Standard equipped with double bit key lock
- Height adjustable shelves
- Prepared for anchoring
- Color: light gray RAL 7035

## Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<a href="#">TSF 1007</a>	H1000 W700 D550	H750 W520 D390	152 L	170 kg	2
<a href="#">TSF 1009</a>	H1000 W950 D550	H750 W770 D390	225 L	182 kg	2
<a href="#">TSF 1012</a>	H1000 W1200 D550	H750 W1020 D390	298 L	230 kg	2
<a href="#">TSF 1507</a>	H1500 W700 D550	H1250 W520 D390	253 L	250 kg	3
<a href="#">TSF 1907</a>	H1950 W700 D550	H1700 W520 D390	344 L	335 kg	4
<a href="#">TSF 1909</a>	H1950 W950 D550	H1700 W770 D390	510 L	356 kg	4
<a href="#">TSF 1912</a>	H1950 W1200 D550	H1700 W1020 D390	676 L	430 kg	4