Atelier Boonen - Sistec SPS and SDS



Additional information

brand: Sistec safes

Sistec SDS & SPS – Fire-resistant document safes (EN 1047-1, up to 120 min)

The Sistec SDS and SPS series are designed for certified fire protection of paper documents. Both models are tested according to EN 1047-1, the highest European standard for fire-resistant safes. This ensures 60 minutes (SPS) or 120 minutes (SDS) of protection for paper at extreme temperatures up to 1090°C, including drop impact testing.

The SDS series is also burglary-resistant, certified to EN 1143-1, grade I, offering additional security against forced entry. The multi-walled body includes a fire-resistant infill, four-sided locking bolts, and a heat-sealing door profile that blocks fire and smoke ingress.

Both safes are equipped as standard with a double-bitted key lock certified to EN 1300 and come pre-fitted for floor and wall anchoring. Finished in light grey (RAL 7035) and available in various sizes.

The Sistec SPS and SDS offer reliable protection for archives, contracts and sensitive paperwork—even under prolonged fire exposure.

See also our other fire resistant safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Fire rated 60 min for paper SPS
Fire rated 120 min for paper SDS
Burglary resistant class 1

Indication value storage class 1: € 10 000 cash or € 20 000 valuables

- Tested and certified by ECB·S in accordance with European standard EN 1143-1 Grade I
- Fire-resistant tested 30 minutes for paper according to EN 1047-1
- Three-sided locking by means of steel bolts
- Hook-in profile on the hinge side
- Standard equipped with double bit key lock
- Height adjustable shelves
- Prepared for anchoring
- Color: light gray RAL 7035

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Sistec SPS 107	H1077 W794 D585	H786 W637 D351	168 L	303 kg	1
Sistec SPS 117	H1177 W794 D584	H886 W637 D351	198 L	370 kg	1
Sistec SPS 133	H1309 W794 D584	H1018 W637 D351	241 L	404 kg	2
Sistec SPS 157	H1573 W794 D585	H1282 W637 D351	292 L	493 kg	2
Sistec SPS 166	H1667 W794 D584	H1376 W637 D351	313 L	528 kg	3
Sistec SPS 188	H1873 W794 D584	H1582 W637 D351	429 L	564 kg	3

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Sistec SDS 107	H1077 W794 D599	H786 W637 D351	168 L	311 kg	1
Sistec SDS 117	H1177 W794 D599	H886 W637 D351	198 L	380 kg	1
Sistec SDS 133	H1309 W794 D599	H1018 W637 D351	241 L	414 kg	2
Sistec SDS 157	H1573 W794 D599	H1282 W637 D351	292 L	505 kg	2
Sistec SDS 166	H1667 W794 D599	H1376 W637 D351	313 L	540 kg	0
Sistec SDS 188	H1873 W794 D599	H1582 W637 D351	429 L	615 kg	3