

Atelier Boonen - Fichet-Bauche Complice



Additional information

Fichet-Bauche Complice - Freestanding safe with burglary and fire protection

The Complice safe by Fichet-Bauche offers certified burglary protection (EN 1143-1, Grade 0 – A2P / ECB-S) and, in the 20, 40 and 80 litre models, 30 minutes fire resistance for paper (EN 15659 – LFS 30P).

Its double-walled steel construction with a reinforced mineral core, along with an 87mm thick door, full-height locking bolts and hinge-side anti-pry protection, ensures robust resistance against attacks.

The safe can be anchored to the floor or wall (fixing kit included) and is available in four sizes (10 to 80 litres), featuring a sleek black finish and compact design for easy placement.

Two lock options are available:

- MPX key lock + mechanical combination lock
- Nectra electronic code lock

The Complice is a reliable, certified safe offering compact, elegant and secure storage for valuables in private or professional settings.

This safe is also available as a built-in model: [click here for the Fichet-Bauche wall safe.](#)

Firewered 30 min for paper

Burglary resistant Grade 0

Indicative value storage Class 0: € 7 000 cash or € 14 000 valuables

- Tested and certified by ECB.S and CNPP in accordance with European standard EN 1143-1 in Grade 0
- Fire tested 30 minutes for paper according to EN 15659 LFS 30P
- Complice gets its strength from 48 mm double-walled sheet steel walls, a reinforced 87 mm thick door and specially designed extra strong mineral composite material.
- The safe is locked by a single steel latch pin running the entire length of the door. In case of attacks with mechanical or thermal tools, the lock is completely blocked by a deadbolt.

- Models K are equipped with a Fichet-Bauche M3b key lock and 3 button digit combination
- Models E are equipped with an electronic code lock
- Anchor holes provided in back and bottom
- Color: zwart

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	shelves
<u>10 k</u>	H360 W455 D276	H260 W360 D140	13 L	52 kg	1
<u>20 k</u>	H360 W455 D356	H260 W360 D220	21 L	60 kg	1
<u>40 k</u>	H500 W455 D436	H400 W360 D300	43 L	89 kg	2
<u>80 k</u>	H630 W555 D466	H530 W460 D330	80 L	130 kg	2
<u>10 E</u>	H360 W455 D276	H260 W360 D140	13 L	52 kg	1
<u>20 E</u>	H360 W455 D356	H260 W360 D220	21 L	60 kg	1
<u>40 E</u>	H500 W455 D436	H400 W360 D300	43 L	89 kg	2
<u>80 E</u>	H630 W555 D466	H530 W460 D330	80 L	130 kg	2