

Atelier Boonen - Kaso PTK E 300



Additional information

brand: Kaso Safes

Kaso PTK 300 – Lightweight safe with certified burglary and fire protection

The Kaso PTK 300 is a reliable, certified safe offering solid protection against both burglary and fire. Its innovative BFP multi-wall construction provides high resistance while being up to three times lighter than conventional safes – ideal for installations with weight limitations.

The PTK 300 is EN 1143-1 certified (Grades 0 to 5 – ECB-S) for burglary resistance. With the exception of Grade 4, all models also offer 60 minutes of fire resistance for paper documents, tested according to NT FIRE 017 (60P).

The safe can be fitted with a range of EN 1300-certified locks (key, mechanical combination or electronic), and offers flexible interior configurations including shelves, drawers and media compartments.

The PTK series shares its structure with the Kaso E 300, but is focused on functionality and utility. The E 300 offers the same performance in a more refined and design-oriented finish, ideal where aesthetics are a priority.

Kaso safes are trusted for their technical performance, long-term reliability and certified security.

Burglary resistant Class 1,2,3 and 4

Indication value storage class 1: € 10 000 cash or € 20 000 valuables

Indication value storage class 2: € 25 000 cash or € 50 000 valuables

Indicated value retention class 3: € 45 000 cash or € 90 000 valuables

Indicated value retention class 4: € 75 000 cash or € 150 000 valuables

- Tested and certified by ECB.S in accordance with European standard EN 1143-1 in Grades 0,I,II,III,IV
- Class 0,1,2 and 3 safes are also fire tested 60 minutes for paper according to NT017 60P.
- Walls and door made of BFP, multi-walled construction developed by Kaso and offering excellent resistance to fire and burglary.
- Four-sided locking by means of steel bolts.
- Lock and frame protected with additional armoring.
- Standard equipped with double bit key lock
- Height adjustable shelves
- Prepared for anchoring
- Color: light gray RAL 7035

Model specifications

| Model | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|------------------------|-----------------------|--------------------------|------------|-------------|---------|
| E1 310 | H612 W618 D550 | H493 W486 D364 | 87 L | 180 kg | 1 |
| E1 320 | H962 W618 D550 | H843 W486 D364 | 149 L | 260 kg | 1 |
| E1 330 | H1312 W618 D550 | H1193 W486 D364 | 211 L | 340 kg | 2 |
| E1 340 | H1662 W618 D550 | H1543 W486 D364 | 273 L | 420 kg | 3 |
| E1 350 | H1912 W618 D550 | H1793 W486 D364 | 317 L | 470 kg | 3 |
| E1 370 | H1912 W832 D692 | H1793 W700 D506 | 635 L | 650 kg | 3 |

| Model | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|------------------------|-----------------------|--------------------------|------------|-------------|---------|
| E2 308 | H612 W576 D560 | H493 W444 D344 | 75 L | 220 kg | 1 |
| E2 309 | H789 W576 D560 | H670 W444 D344 | 102 L | 300 kg | 1 |
| E2 310 | H612 W618 D550 | H493 W486 D364 | 87 L | 220 kg | 1 |
| E2 320 | H962 W618 D550 | H843 W486 D364 | 149 L | 300 kg | 1 |
| E2 330 | H1312 W618 D550 | H1193 W486 D364 | 211 L | 390 kg | 2 |
| E2 340 | H1662 W618 D550 | H1543 W486 D364 | 273 L | 470 kg | 3 |
| E2 350 | H1912 W618 D550 | H1793 W486 D364 | 317 L | 500 kg | 3 |
| E2 370 | H1912 W832 D692 | H1793 W700 D506 | 635 L | 750 kg | 3 |

| Model | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|------------------------|-----------------------|--------------------------|------------|-------------|---------|
| E3 308 | H612 W576 D560 | H493 W444 D344 | 75 L | 220 kg | 1 |
| E3 309 | H789 W576 D560 | H670 W444 D344 | 102 L | 300 kg | 1 |
| E3 310 | H612 W618 D550 | H493 W486 D364 | 87 L | 250 kg | 1 |

| Model | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|------------------------|-----------------------|--------------------------|------------|-------------|---------|
| E3 320 | H962 W618 D550 | H843 W486 D364 | 149 L | 340 kg | 2 |
| E3 330 | H1312 W618 D550 | H1193 W486 D364 | 211 L | 430 kg | 2 |
| E3 340 | H1662 W618 D550 | H1543 W486 D364 | 273 L | 530 kg | 3 |
| E3 350 | H1912 W618 D550 | H1793 W486 D364 | 317 L | 580 kg | 3 |
| E3 370 | H1912 W832 D692 | H1793 W700 D506 | 635 L | 850 kg | 3 |

| Model | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|------------------------|-----------------------|--------------------------|------------|-------------|---------|
| E4 310 | H612 W634 D550 | H493 W486 D364 | 87 L | 280 kg | 1 |
| E4 320 | H962 W618 D550 | H843 W486 D364 | 149 L | 380 kg | 2 |
| E4 330 | H1312 W618 D550 | H1193 W486 D364 | 211 L | 490 kg | 2 |
| E4 340 | H1662 W618 D550 | H1543 W486 D364 | 273 L | 610 kg | 3 |
| E4 350 | H1912 W618 D550 | H1793 W486 D364 | 317 L | 670 kg | 3 |
| E4 370 | H1912 W832 D692 | H1793 W700 D506 | 635 L | 970 kg | 3 |