Atelier Boonen - Chubbsafes ProGuard



Additional information

brand: Chubbsafes

Chubbsafes ProGuard – Lightweight burglary-resistant safe with certified protection

The Chubbsafes ProGuard is a professional safe with certified burglary resistance to EN 1143-1 Grade III, approved by ECB·S. This safe is designed for applications where a high level of physical protection is required, such as offices, shops, businesses and other professional environments.

The safe features a robust construction with four-sided locking — three sides with solid steel bolts and a fixed interlocking profile on the hinge side. An active relocker blocks the locking mechanism in the event of

a sabotage attempt, and anti-drill plates protect the locking system. The special barrier material provides certified protection while keeping the overall weight low and optimising the available interior space. The door opens to 90° and is fitted as standard with an EN 1300-certified double-bit key lock. Optional configurations include a mechanical combination lock, an electronic code lock or a combination of both.

The ProGuard is available in multiple sizes with a capacity of 65 to 463 litres. The interior can be customised to your needs with accessories such as adjustable shelves, pull-out drawers, suspension file frames or lockable inner compartments.

Thanks to its modern design, neutral RAL colours and ergonomic handle, the ProGuard fits seamlessly into any professional environment. The range stands for lasting quality, certified security and reliable daily use, backed by more than 190 years of Chubbsafes experience in safe manufacturing.

Looking for a version of the ProGuard with an integrated deposit function? See the Chubbsafes ProGuard DT — a certified deposit safe from the same range.

See also our other burglary resistant safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Burglary-resistant grade 3
Indicative insurable value grade 3: €45,000 in cash or €90,000 in valuables

- Tested and certified by ECB·S to European standard EN 1143-1 Grade III
- Multi-walled door and body filled with high-resistance, low-weight burglary-resistant materials
- Four-sided door locking: three sides with solid mobile steel bolts and a full-height interlocking profile on the hinge side
- The interlocking profile renders hinge-side attacks — such as sawing or dismantling — ineffective
- Locks and locking mechanism protected by additional armouring and re-locking devices (relocker)
- Fitted as standard with a double-bit key lock
- Height-adjustable shelves
- Prepared for anchoring
- Colour: anthracite grey

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Chubbsafes ProGuard M-65	H530 W500 D521	H440 W410 D359	65 L	208 kg	0
Chubbsafes ProGuard M-120	H690 W600 D561	H590 W500 D386	121 L	320 kg	1
Chubbsafes ProGuard M-160	H875 W600 D561	H775 W500 D386	159 L	386 kg	2
Chubbsafes ProGuard M-215	H1150 W600 D561	H1060 W510 D396	214 L	481 kg	2
Chubbsafes ProGuard M-305	H1600 W600 D561	H1510 W510 D396	305 L	636 kg	3
Chubbsafes ProGuard M-370	H1600 W675 D585	H1510 W585 D420	371 L	701 kg	3
Chubbsafes ProGuard M-465	H1850 W675 D615	H1760 W585 D450	463 L	827 kg	4