# Atelier Boonen - Kaso E 300



## Additional information

brand: Kaso Safes

Kaso E 300 – Lightweight burglary- and fire-resistant safe (EN 1143-1 certified)
The Kaso E 300 safe combines certified burglary and fire protection with an advanced lightweight design. Using Kaso's proprietary BFP multi-layer construction, this safe delivers high resistance while being up to three times lighter than traditional armored safes — a breakthrough that redefined the industry standard for high-security storage.

Certified to EN 1143-1 (ECB·S) in Grades 0 to 5, the E 300 also offers 60 minutes of fire protection for paper documents (S 60 P according to NT 017) in all versions except Grade 4. This fire- and burglary-resistant safe is ideal for securing documents, valuables, and cash.

A wide range of certified locking options (key, mechanical combination, or electronic lock) and modular interior fittings allows the Kaso E 300 to be fully tailored to your security needs.

Structurally identical to the Kaso PTK series, the E 300 stands out with a refined, modern design, making it especially well suited for contemporary office and private settings.

Kaso safes are known worldwide for their reliability, durability, and high-security performance.

See also our other fire resistant safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Burglary resistant Class 1,2,3,4 and 5
Indication value storage class 1: € 10 000 cash or € 20 000 valuables
Indication value storage class 2: € 25 000 cash or € 50 000 valuables
Indication value storage class 3: € 45 000 cash or € 90 000 valuables
Indication value retention class 4: € 75 000 cash or € 150 000 valuables
Indication value retention class 5: € 125 000 cash or € 250 000 valuables

- Tested and certified by ECB·S according to the European standard EN 1143-1 in Grades 0,I,II,III,IV,V
- Fire resistant tested 60 minutes for paper according to NT017 60P. (except Class 4)
- Walls and door multiwall made of BFP and Kaso developed construction offering excellent resistance to fire and burglary.
- Four-sided locking by means of steel bolts
- Lock and frame protected with additional armoring.
- Standard equipped with double bit key lock
- Height adjustable shelves
- Prepared for anchoring
- Color: light gray RAL 7035

# Model specifications

| Model | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|---|---|---|---|---|---|
| E1 310 | H612 W618 D580 | H493 W486 D364 | 87 L | 190 kg | 1 |
| E1 320 | H962 W618 D580 | H843 W486 D364 | 149 L | 270 kg | 2 |
| E1 330 | H1312 W618 D580 | H1193 W486 D364 | 211 L | 360 kg | 2 |
| E1 340 | H1662 W618 D580 | H1543 W486 D364 | 273 L | 440 kg | 3 |
| E1 350 | H1912 W618 D580 | H1793 W486 D364 | 317 L | 490 kg | 3 |
| E1 370 | H1912 W832 D722 | H1793 W700 D506 | 635 L | 680 kg | 3 |

| Model | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|---|---|---|---|---|---|
| E2 308 | H612 W576 D560 | H493 W444 D344 | 75 L | 200 kg | 0 |
| E2 309 | H789 W576 D560 | H670 W444 D344 | 102 L | 270 kg | 1 |
| E2 310 | H612 W618 D580 | H493 W486 D364 | 87 L | 230 kg | 1 |
| E2 320 | H962 W618 D580 | H843 W486 D364 | 149 L | 310 kg | 2 |
| E2 330 | H1312 W618 D580 | H1193 W486 D364 | 211 L | 400 kg | 3 |
| E2 340 | H1662 W618 D580 | H1543 W486 D364 | 273 L | 480 kg | 3 |
| E2 350 | H1912 W618 D580 | H1793 W486 D364 | 317 L | 520 kg | 3 |
| E2 370 | H1912 W832 D722 | H1793 W700 D506 | 635 L | 780 kg | 3 |

| Model | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|---|---|---|---|---|---|
| E3 308 | H612 W576 D560 | H493 W444 D344 | 75 L | 220 kg | 1 |
| E3 309 | H789 W567 D560 | H670 W444 D344 | 102 L | 300 kg | 1 |
| E3 310 | H612 W618 D580 | H493 W486 D364 | 87 L | 260 kg | 1 |

| Model | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|---|---|---|---|---|---|
| E3 320 | H962 W618 D580 | H843 W486 D364 | 149 L | 350 kg | 2 |
| E3 330 | H1312 W618 D580 | H1193 W486 D364 | 211 L | 450 kg | 3 |
| E3 340 | H1662 W618 D580 | H1543 W486 D364 | 273 L | 550 kg | 3 |
| E3 350 | H1912 W618 D580 | H1793 W486 D364 | 317 L | 600 kg | 3 |
| E3 370 | H1912 W832 D722 | H1793 W700 D506 | 635 L | 880 kg | 3 |

| Model | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|---|---|---|---|---|---|
| E4 310 | H612 W618 D580 | H493 W486 D364 | 87 L | 290 kg | 1 |
| E4 320 | H962 W618 D580 | H843 W486 D364 | 149 L | 390 kg | 2 |
| E4 330 | H1312 W618 D580 | H1193 W486 D364 | 211 L | 510 kg | 3 |
| E4 340 | H1662 W618 D580 | H1543 W486 D364 | 273 L | 630 kg | 3 |
| E4 350 | H1912 W618 D580 | H1793 W486 D364 | 317 L | 690 kg | 3 |
| E4 370 | H1912 W832 D722 | H1793 W700 D506 | 635 L | 1000 kg | 3 |

| Model | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|---|---|---|---|---|---|
| E5 320 | H1017 W710 D630 | H840 W486 D364 | 149 L | 650 kg | 2 |
| E5 330 | H1367 W710 D630 | H1190 W486 D364 | 211 L | 850 kg | 3 |
| E5 340 | H1717 W710 D630 | H1540 W486 D364 | 273 L | 1040 kg | 3 |
| E5 350 | H1970 W710 D630 | H1790 W486 D364 | 317 L | 1200 kg | 4 |
| E5 370 | H1970 W920 D770 | H1790 W700 D506 | 635 L | 1440 kg | 4 |