

Atelier Boonen - Salvus Milano



Additional information

Salvus Milano - Certified burglary- and fire-resistant safe (Grade II, LFS 30)

The Salvus Milano is a burglary- and fire-resistant safe, certified according to EN 1143-1, Grade II T2. It offers 30 minutes of fire protection for paper documents, tested to the EN 15659 – LFS 30 standard, which involves exposure to temperatures up to 850\mathbb{M}^C. This lighter fire certification is suited for environments with moderate fire risk.

The Salvus Milano safe features a multi-walled construction, filled with Ultra High Performance Concrete, offering strong resistance against both mechanical and thermal attacks. Its three-sided locking system with solid steel bolts is reinforced by an interlocking profile on the hinge side, which makes any attack on the hinges ineffective. A passive relocking device activates automatically in the event of a burglary attempt.

The safe is prepared for floor and wall anchoring and can be fitted with various EN 1300-certified locks, including key locks, mechanical combination locks, or electronic code locks.

The Salvus Milano fireproof safe is available in multiple sizes. The Model 46 is the most popular in the range, known for its dependable performance and excellent price-to-quality ratio.

Fireproof 30 min for paper Burglary resistant Class 2

Indication of value storage Class 2: € 25 000 cash or € 50 000 valuables

- Tested and certified by ECB.S in accordance with European standard EN 1143-1 in Grade II
- Fire resistant tested 30 minutes for paper according to EN 15659 LFS 30P



- Multi-walled construction of walls and door.
- Three-sided locking by stainless steel bolts.
- Hook-in profile on hinge side.
- Standard equipped with double bit key lock
- Shelves adjustable in height
- Anchor holes provided in back and bottom
- Color: anthracite grey RAL7024



Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<u>Milano 1</u>	H460 W470 D470	H333 W355 D319	38 L	179 kg	1
Milano 2	H500 W510 D510	H373 W395 D359	53 L	220 kg	1
Milano 3	H670 W510 D510	H544 W395 D359	77 L	279 kg	1
Milano 4	H610 W680 D510	H483 W565 D359	98 L	305 kg	1
<u>Milano 5</u>	H810 W680 D510	H684 W565 D359	139 L	382 kg	2
<u>Milano 6</u>	H990 W510 D510	H864 W395 D359	123 L	370 kg	2
Milano 7	H1010 W680 D510	H883 W565 D359	179 L	419 kg	2
Milano 8	H1320 W680 D510	H1193 W565 D359	242 L	572 kg	2
Milano 9	H1510 W850 D600	H1363 W715 D439	428 L	810 kg	3
Milano 10	H1660 W680 D510	H1513 W565 D359	307 L	755 kg	4