

## Atelier Boonen - Sistec Euroguard SE 1, 2 and 3



### Additional information

brand: Sistec safes

Sistec Euroguard SE - Fire-resistant safe Grade 1, 2 or 3 with LFS 60P / 30P

The Sistec Euroguard SE is a certified fire-resistant safe with burglary protection, designed for professional

and private use. The Euroguard SE range is tested according to EN 1143-1 and available in Grade 1, 2 and 3. Fire resistance is certified according to EN 15659, with LFS 60P for Grades 1 and 2 and LFS 30P for Grade 3. This provides 60 or 30 minutes of protection for paper documents at temperatures up to 850 °C.

Sistec Euroguard SE safes are built with a multi-walled construction and equipped with four-sided door locking. Three sides close with solid mobile steel bolts. On the hinge side, the door is locked by a continuous interlocking profile that engages into the safe body over the full height. As a result, attacks on the hinges, such as cutting or removing them, have no effect on the security.

As standard, the safe is equipped with an EN 1300-certified double-bit key lock, with the option of an electronic or mechanical combination lock, including dual-lock configuration.

The Euroguard SE range is designed for intensive use and stands out for its refined finish, solid construction and practical interior layout. The door opens 180° for optimal accessibility. Height-adjustable shelves and preparation for floor anchoring are included as standard. Finished in light grey RAL 7035, with optional left-hinged door or internal drawer.

#### Note on models not fire-tested

Most models in the Sistec Euroguard SE range are fire-tested according to EN 15659. The double-door safes SE1 6, SE2 6 and SE3 180 are exceptions. The compact model Sistec Euroguard SE III 55-S is also not fire-tested.

#### Fire rated 30 or 60 min for paper

Burglary resistant class 1,2,3

Indicative value storage class 1: € 10 000 cash or € 20 000 valuables

Indicative value storage class 2: € 25 000 cash or € 50 000 valuables

Indicative value storage class 3: € 45 000 cash or € 90 000 valuables

- Tested and certified by ECB-S in accordance with the European standard EN 1143-1, Grades I, II and III
- Fire-tested for paper documents according to EN 15659: LFS 60P for Grades 1 and 2, LFS 30P for Grade 3
- The double-door safes SE1 6, SE2 6 and SE3 180 are not fire-tested
- The compact model Sistec Euroguard SE III 55-S is also not fire-tested
- Multi-walled body and door construction
- Four-sided door locking: three sides with mobile solid steel bolts and the hinge side with a continuous interlocking profile
- The interlocking profile makes attacks on the hinges, such as cutting or removal, ineffective
- Equipped as standard with a double-bit key lock
- Height-adjustable shelves
- Prepared for anchoring
- Colour: light grey RAL 7035

## Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<a href="#">SISTEC Euroguard SE I-0 LFS60P</a>	H800 W625 D600	H654 W48 D392	123 L	250 kg	1
<a href="#">SISTEC Euroguard SE I-1 LFS60</a>	H1050 W625 D600	H904 W480 D392	170 L	310 kg	1
<a href="#">SISTEC Euroguard SE I-2 LFS60</a>	H1200 W710 D600	H1054 W565 D392	233 L	380 kg	2
<a href="#">SISTEC Euroguard SE I-3 LFS60P</a>	H1450 W710 D600	H1304 W565 D392	288 L	450 kg	2
<a href="#">SISTEC Euroguard SE I-4 LFS60P</a>	H1600 W710 D600	H1454 W565 D392	344 L	480 kg	3
<a href="#">SISTEC Euroguard SE I-5 LFS60P</a>	H1850 W795 D600	H1704 W650 D392	434 L	619 kg	3

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<a href="#">SISTEC Euroguard SE I-6</a>	H1850 W1225 D640	H1704 W1079 D432	794 L	520 kg	3

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<a href="#">SISTEC Euroguard SE II-0 LFS60</a>	H800 W625 D600	H654 W480 D392	123 L	300 kg	1
<a href="#">SISTEC Euroguard SE II-1 LFS60</a>	H1050 W625 D600	H904 W480 D392	170 L	350 kg	1
<a href="#">SISTEC Euroguard SE II-2 LFS60</a>	H1200 W710 D600	H1054 W565 D392	233 L	430 kg	2
<a href="#">SISTEC Euroguard SE II-3 LFS60</a>	H1450 W710 D600	H1304 W565 D392	288 L	570 kg	2
<a href="#">SISTEC Euroguard SE II-4 LFS60</a>	H1600 W710 D600	H1454 W565 D392	322 L	660 kg	3

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<a href="#">SISTEC Euroguard SE II-5 LFS60</a>	H1850 W795 D600	H1704 W650 D392	434 L	700 kg	3

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<a href="#">SISTEC Euroguard SE II-6</a>	H1850 W1225 D640	H1670 W1079 D432	794 L	950 kg	3

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<a href="#">SISTEC Euroguard SE III-069</a>	H690 W620 D580	H510 W450 D340	78 L	400 kg	1

<a href="#">SISTEC Euroguard SE III-86</a>	H860 W620 D580	H680 W450 D340	104 L	510 kg	1
--	----------------	----------------	-------	--------	---

<a href="#">SISTEC Euroguard SE III-103</a>	H1030 W620 D580	H850 W450 D340	130 L	570 kg	2
---	-----------------	----------------	-------	--------	---

<a href="#">SISTEC Euroguard SE III-120</a>	H1200 W620 D580	H1020 W450 D340	156 L	630 kg	0
---	-----------------	-----------------	-------	--------	---

<a href="#">SISTEC Euroguard SE III 121</a>	H1200 W825 D700	H1020 W655 D460	307 L	850 kg	2
---	-----------------	-----------------	-------	--------	---

<a href="#">SISTEC Euroguard SE III-138</a>	H1380 W825 D700	H1200 W655 D460	361 L	950 kg	3
---	-----------------	-----------------	-------	--------	---

<a href="#">SISTEC Euroguard SE III-173</a>	H1730 W825 D700	H1550 W655 D460	467 L	1150 kg	4
---	-----------------	-----------------	-------	---------	---

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<a href="#">SISTEC Euroguard SE III-55-S</a>	H550 W550 D550	H365 W375 D307	42 L	337 kg	1

<a href="#">SISTEC Euroguard SE III-180</a>	H1800 W1190 D730	H1620 W1020 D490	760 L	1450 kg	4
---	------------------	------------------	-------	---------	---