Atelier Boonen - Euroline Grade III, IV and V



Additional information

brand: ATB Safes

ATB Euroline – certified burglary-resistant safe in Grade III, IV and V

The ATB Euroline is a burglary-resistant safe, certified according to EN 1143-1 in Grades III, IV and V. This certification is issued by VdS and ECB·S after rigorous testing against mechanical and thermal break-in tools. It is designed for professional use where high structural security and reliability are essential.

The safe features a multi-walled body and door filled with an advanced Ultra High Performance Concrete (UHPC). This material allows for thinner walls without compromising resistance, resulting in a larger usable volume. A three-way locking mechanism with solid steel bolts is reinforced on the hinge side with an interlocking profile that renders hinge attacks ineffective. A passive relocking system activates automatically in the event of an attack, blocking the boltwork.

As standard, the Euroline is equipped with a double-bit key lock (Grade III) or a combination of key and mechanical code lock (Grades IV and V). Other options are available, including electronic code locks with time delay, audit functions, and multi-user or dual locking setups.

The safe includes height-adjustable shelves and is pre-fitted for anchoring. ATB Euroline offers compact, reliable protection with a modern and functional design.

See also our other burglary resistant safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Break-in-resistant Class 3,4 and 5

Class 3 indication of value retention: € 45 000 cash or € 90 000 valuables
Class 4 indication of value retention: € 75 000 cash or € 150 000 valuables
Class 5 indication of value retention: € 125 000 cash or € 250 000 valuables

- Tested and certified by VdS in accordance with European standard EN 1143-1 in Grade III, IV and V.
- Multi-walled door and body filled with a special composite material
- Three sided locking by means of steel bolts
- Lock and frame protected with additional armoring and passive locking system
- Hook-in profile on the hinge side
- Standard equipped with double bit key lock for class 3 safes, class 4 and 5 standard with double bit key lock and mechanical code lock
- Height adjustable shelves
- Prepared for anchoring
- Color: light gray RAL 7035

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
3070	H600 W535 D464	H509 W455 D305	71 L	275 kg	1
3095	H785 W535 D464	H694 W455 D305	96 L	340 kg	1
3175	H955 W610 D544	H864 W530 D385	176 L	480 kg	1
3215	H1135 W610 D544	H1044 W530 D385	213 L	550 kg	2
3285	H1490 W610 D544	H1399 W530 D385	285 L	660 kg	2
3395	H1490 W760 D574	H1399 W680 D415	395 L	830 kg	2
3440	H1315 W760 D689	H1224 W680 D530	441 L	860 kg	2
3560	H1850 W840 D580	H1759 W760 D421	563 L	1057 kg	3
3820	H1850 W1190 D580	H1759 W1110 D421	822 L	1346 kg	3

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
4080	H600 W610 D464	H509 W530 D305	82 L	315 kg	1
4095	H785 W535 D464	H694 W455 D305	96 L	355 kg	1
4175	H955 W610 D544	H864 W530 D385	176 L	495 kg	2
4215	H1135 W610 D544	H1044 W530 D385	213 L	565 kg	2
4285	H1490 W610 D544	H1399 W530 D385	285 L	675 kg	3
4395	H1490 W760 D574	H1399 W680 D415	395 L	845 kg	3
4440	H1315 W760 D689	H1224 W680 D530	441 L	875 kg	3
4560	H1850 W840 D580	H1759 W760 D421	563 L	1077 kg	4
4820	H1850 W1190 D580	H1759 W1110 D421	822 L	1372 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
5100	H840 W620 D566	H680 W440 D320	96 L	705 kg	1
5150	H1190 W620 D566	H1030 W440 D320	145 L	935 kg	2
5245	H1380 W710 D621	H1220 W530 D375	242 L	1280 kg	3
5280	H1530 W710 D621	H1370 W530 D375	272 L	1325 kg	3
5320	H1190 W910 D661	H1030 W730 D415	312 L	1287 kg	2
5425	H1530 W910 D661	H1370 W730 D415	415 L	1570 kg	3
5535	H1180 W910 D661	H1720 W730 D415	521 L	1880 kg	4
5780	H1880 W1260 D661	H1720 W1080 D415	771 L	2380 kg	4