
Atelier Boonen - Chubbsafes Duoguard GI



Additional information

brand: Chubbsafes

Grade I T2 with 60 minutes of fire protection

The Chubbsafes DuoGuard GI is a burglary resistant safe in Grade I according to EN 1143-1, certified by ECB·S to the new T2 version of the standard. T2 testing uses more powerful tools than before: power tools, grinders, cutters and thermal tools. The safe therefore withstands the means burglars use today.

All models protect paper documents against fire for 60 minutes according to NT Fire 017 – 60 Paper, tested by RISE (Research Institutes of Sweden). From model M-115, the safe is also certified by ECB·S according to EN 1047-1, class S 60 P.

Door and body are filled with Dualite, a torch-resistant barrier material that protects against burglary and fire while making the safe lighter. This also lowers transport and installation costs. The three-way boltwork with solid steel bolts is protected by anti-drill plates and an active relocker.

As primary lock you choose a key lock (Class A) or an electronic code lock (Class B), both certified to EN 1300. Dual locking is available from model M-60. The electronic lock offers a master code, a supervisor code and 8 user codes, a time delay of up to 99 minutes, an opening window of 1 to 19 minutes and an optional silent duress alarm.

The DuoGuard GI comes in 8 sizes, from 40 to 443 litres. From model M-115, extendable shelves, drawers, a lockable compartment, a shelf prepared for hanging files and a suspension file frame are available.

See also our other fire resistant safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Fire resistant 60 min for paper
Burglary resistant grade 1
Indicative value storage grade 1: € 10 000 cash or € 20 000 valuables

- Tested and certified by ECB·S according to European standard EN 1143-1, Grade I T2
- Fire resistant 60 minutes for paper according to NT Fire 017 – 60 Paper (all models)
- From M-115 also certified according to EN 1047-1, class S 60 P
- Door and body filled with Dualite: burglary and fire resistant, reduced weight
- Three-way boltwork with solid steel bolts
- Active relocker and anti-drill plates
- Hook-in profile on the hinge side
- Key lock Class A or electronic code lock Class B (EN 1300); dual locking from M-60
- Height adjustable shelves
- Prepared for anchoring
- Colour: anthracite grey

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Chubbsafes Duoguard GI 40	H435 W500 D456	H335 W400 D295	40 L	100 kg	1
Chubbsafes Duoguard GI 60	H530 W500 D521	H430 W400 D360	62 L	123 kg	1
Chubbsafes Duoguard GI 115	H690 W600 D561	H590 W500 D386	114 L	175 kg	2
Chubbsafes Duoguard GI 150	H875 W600 D561	H775 W500 D386	150 L	212 kg	2
Chubbsafes Duoguard GI 205	H1150 W600 D561	H1050 W500 D386	203 L	264 kg	2
Chubbsafes Duoguard GI 290	H1600 W600 D561	H1500 W500 D386	290 L	337 kg	3
Chubbsafes Duoguard GI 355	H1600 W675 D585	H1500 W575 D410	354 L	374 kg	3
Chubbsafes Duoguard GI 445	H1850 W675 D615	H1750 W575 D440	443 L	436 kg	4