

Atelier Boonen - Sistec Euroguard SE 4 and 5



Additional information

brand: Sistec safes

Sistec Euroguard SE - Burglary-resistant safe Grade 4 or 5

The Sistec Euroguard SE is a high-security safe certified for burglary resistance, designed for applications requiring a high to very high level of protection against burglary. This range is tested according to EN 1143-1 and available in Grade 4 and Grade 5, with ECB-S approval. The Euroguard SE Grade 4 and 5 is designed for the secure storage of valuables, intensive use and situations where increased resistance to targeted burglary attempts is required.

The safe features a multi-walled body and door, constructed with high-quality barrier materials. The door is equipped with four-sided locking: three sides close with mobile, solid steel bolts. On the hinge side, fixed bolts provide additional anchoring into the safe body. As a result, attacks on the hinges have no effect on the security.

The locking mechanism is protected by multiple layers of armour over the locks and boltwork. A glass-plate relocker activates automatically in the event of tampering or attack and blocks the locking mechanism when manipulation is attempted.

Each Sistec Euroguard SE Grade 4 or 5 is equipped as standard with two EN 1300-certified locks, in accordance with the requirements of EN 1143-1 for Grade 4 and Grade 5. Depending on the selected configuration, this can consist of a double-bit key lock and a mechanical combination lock. Optional electronic or mechanical combination locks, or a combination of both, are available.

The Euroguard SE Grade 4 and 5 stands out for its solid construction, refined finish and high-quality execution, making it suitable for intensive professional use. External hinges allow a door opening of up to 180°. The safe is prepared for anchoring through the base and rear wall and is supplied with adjustable shelves and a RAL 7035 light grey finish. Model 180 is supplied as a double-door safe.

Burglary resistant class 4,5

Indicated value retention class 4: € 75 000 cash or € 150 000 valuables

Indicated value retention class 5: € 125 000 cash or € 250 000 valuables

- Tested and certified by ECB-S according to the European standard EN 1143-1, Grades IV and V
- Multi-walled body and door construction, built with high-quality barrier materials for certified burglary resistance
- Four-sided door locking: three sides with mobile, solid steel bolts and fixed bolts on the hinge side
- The fixed bolts on the hinge side make attacks on the hinges, such as cutting or removal, ineffective
- Locks and boltwork are protected by additional armour and relocking systems, including a glass-plate relocker
- Equipped as standard with two EN 1300 Class B-certified locks: a double-bit key lock and a mechanical combination lock
- Model 180 is supplied as a double-door safe
- Height-adjustable shelves
- Prepared as standard for floor anchoring
- Colour: light grey RAL 7035

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
SISTEC Euroguard SE IV KB 86/0	H860 W620 D580	H680 W450 D340	99 L	585 kg	1
SISTEC Euroguard SE IV KB 103	H1030 W620 D580	H850 W450 D340	124 L	690 kg	2
SISTEC Euroguard SE IV KB 120	H1200 W620 D580	H1020 W450 D340	149 L	710 kg	2
SISTEC Euroguard SE IV KB 121	H1200 W825 D700	H1200 W825 D460	297 L	1010 kg	2
SISTEC Euroguard SE IV KB 138	H1380 W825 D700	H1200 W655 D460	349 L	1170 kg	3
SISTEC Euroguard SE IV KB 173	H1730 W825 D700	H1550 W655 D460	451 L	1380 kg	4
SISTEC Euroguard SE IV KB 180	H1800 W1190 D730	H1620 W1020 D490	735 L	1892 kg	4
Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
SISTEC Euroguard SE V KB 86	H860 W620 D580	H680 W450 D340	99 L	610 kg	1
SISTEC Euroguard SE V KB 103	H1030 W620 D580	H850 W450 D340	124 L	710 kg	2
SISTEC Euroguard SE V KB 120	H1200 W620 D580	H1020 W450 D340	149 L	790 kg	2
SISTEC Euroguard SE V KB 121	H1200 W825 D700	H1020 W655 D460	297 L	1060 kg	2
SISTEC Euroguard SE V KB 138	H1380 W825 D700	H1200 W655 D460	349 L	1210 kg	3
SISTEC Euroguard SE V KB 173	H1730 W825 D700	H1550 W655 D460	451 L	1460 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
SISTEC Euroguard SE V KB 180	H1800 W1190 D730	H1620 W1020 D490	735 L	1960 kg	4