

Atelier Boonen - Sistec Euroguard SE 4 and 5



Additional information

Sistec Euroguard SE - Burglary-resistant safe (EN 1143-1 Grade IV & V, ECB-S)

The Sistec Euroguard SE is a burglary-resistant safe certified to EN 1143-1, available in Grade IV and V, and officially approved by ECB-S. It is built for use cases requiring a high level of physical security in compliance with European standards.

The safe features a multi-walled body and door, constructed with advanced barrier materials. The three-sided boltwork system is reinforced on the hinge side by a locking profile, which effectively protects against forced entry from that angle.

The locking mechanism is secured with multiple layers of protective armor over the locks and boltwork, and a passive relocker that activates automatically in the event of tampering or attack.

Each Sistec Euroguard SE comes standard with two EN 1300-certified double-bit key locks, in compliance with Grade IV/V requirements. Optional versions are available with electronic or mechanical combination locks, or a combination of both.

The safe is fitted with external hinges allowing for a full 180° door opening. Anchoring points are provided on the base and rear wall, and the unit is finished in RAL 7035 light grey with adjustable shelving.

Burglary resistant class 4,5

Indicated value retention class 4: € 75 000 cash or € 150 000 valuables

Indicated value retention class 5: € 125 000 cash or € 250 000 valuables

- Tested and certified by ECBS in accordance with European standard EN 1143-1 Grades IV and V
- Three-sided locking by means of steel bolts
- Hook-in profile on the hinge side
- Standard equipped with double bit key lock and mechanical code lock
- Height adjustable shelves
- Prepared for anchoring
- Color: light gray RAL 7035

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
SE4 86	H860 W620 D580	H680 W450 D340	99 L	585 kg	1
SE4 103	H1030 W620 D580	H850 W450 D340	124 L	690 kg	2
SE4 120	H1200 W620 D580	H1020 W450 D340	149 L	710 kg	2
SE4 121	H1200 W825 D700	H1200 W825 D460	297 L	1010 kg	2
SE4 138	H1380 W825 D700	H1200 W655 D460	349 L	1170 kg	3
SE4 173	H1730 W825 D700	H1550 W655 D460	451 L	1380 kg	4
SE4 180	H1800 W1190 D730	H1620 W1020 D490	735 L	1892 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
SE5 86	H860 W620 D580	H680 W450 D340	99 L	610 kg	1
SE5 103	H1030 W620 D580	H850 W450 D340	124 L	710 kg	2
SE5 120	H1200 W620 D580	H1020 W450 D340	149 L	790 kg	2
SE5 121	H1200 W825 D700	H1020 W655 D460	297 L	1060 kg	2
SE5 138	H1380 W825 D700	H1200 W655 D460	349 L	1210 kg	3
SE5 173	H1730 W825 D700	H1550 W655 D460	451 L	1460 kg	4
SE5 180	H1800 W1190 D730	H1620 W1020 D490	735 L	1960 kg	4