

## Atelier Boonen - Salvus Arezzo



### Additional information

Salvus Arezzo - Fire-Resistant and Burglary-Resistant Safe (EN 14450 S2 / EN 1143-1 Grade 1)

The Salvus Arezzo is certified by ECB-S according to the European standards EN 14450 S2 and EN 1143-1 Grade 1 for burglary protection. For fire protection, this model is tested according to the lighter EN 15659 LFS 60P standard, which ensures 60 minutes of protection for documents at temperatures up to 850°C, without a drop test or cooling phase. This standard is suitable for environments with a moderate fire risk,

such as homes or offices.

The Salvus Arezzo features a three-sided locking mechanism with steel bolts and an interlocking profile on the hinge side for added protection against tampering. It comes standard with a double-bitted key lock, but other locking options are available.

The safe is equipped with adjustable shelves and is prepared for anchoring, offering additional security against theft. This combination of fire protection and burglary resistance makes the Salvus Arezzo an ideal solution for securely storing valuable documents and assets.

Fire resistant 60 min for paper

Burglary resistant Security level S2

Indicative value storage Security Level S2: € 5 000 cash or € 9 000 valuables

- Tested and certified by ECB.S according to the European standard EN 14450 security level S2 or EN1143-1 in grade I
- Fire-resistant tested 60 minutes for paper according to EN15659 LFS 60P
- Three-sided locking by means of steel bolts
- Hook-in profile on hinge hingeHook-in profile on the hinge side
- Standard equipped with double bit key lock
- Shelves adjustable in height
- Prepared for anchoring
- Color: light gray

## Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<a href="#">S2 550</a>	H1950 W940 D585	H1761 W801 D392	550 L	558 kg	4
<a href="#">S2 770</a>	H1950 W1250 D585	H1785 W1110 D390	773 L	650 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<a href="#">G1 550</a>	H1950 W940 D585	H1761 W801 D392	550 L	658 kg	4