Atelier Boonen - Salvus Arezzo



Additional information

brand: Salvus safes

Salvus Arezzo – Fire-resistant cabinet with burglary resistance (EN 14450 S2 / EN 1143-1 Grade 1)

The Salvus Arezzo is a fire-resistant cabinet with burglary resistance, certified by ECB·S according to the

European standards EN 14450 Security level S2 or EN 1143-1 Grade 1, depending on the version. For fire protection, this model is tested according to EN 15659 LFS 60P: documents remain protected for 60 minutes at temperatures up to 850 °C, without a drop test or cooling phase. This standard suits situations with a medium fire risk, such as homes or offices.

The Arezzo is built on the same principle as the Salvus Bologna: a multi-walled steel construction, filled with a special fire-resistant composite. The door is locked on four sides: three sides with moving steel bolts and, on the hinge side, fixed rectangular bolts that engage into the body. Even if the hinges are attacked, the door remains firmly locked. The cabinet is fitted as standard with a double-bitted key lock; other lock options are available.

With its generous interior volume, this cabinet is ideally suited to the secure archiving of large quantities of documents, binders and valuables. The adjustable shelves allow the layout to be adapted to storage needs, and the cabinet is prepared for anchoring. This combination of fire and burglary protection in a large format makes the Salvus Arezzo ideal for offices, practices and administrative environments.

See also our other fire resistant cabinets or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Fire resistant 60 min for paper
Burglary resistant Security level S2 or Grade 1
Indication value storage Security level S2: € 5 000 cash or € 9 000 valuables
Indication value storage Grade 1: € 10 000 cash or € 20 000 valuables

- Tested and certified by ECB·S in accordance with the European standard EN 14450, Security level S2, or EN 1143-1, Grade I, depending on the version.
- Fire tested for 60 minutes for paper according to EN 15659 LFS 60P.
- Multi-walled structure filled with a special fire-resistant composite.
- Four-sided locking: moving steel bolts on three sides and fixed rectangular bolts on the hinge side, engaging into the body.
- Equipped as standard with a double-bitted key lock; other lock options possible.
- Height-adjustable shelves.
- Prepared for anchoring.
- Colour: light grey.

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Salvus Arezzo S2 550	H1950 W940 D585	H1761 W801 D392	550 L	558 kg	4
Salvus Arezzo S2 770	H1950 W1250 D585	H1785 W1110 D390	773 L	650 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Salvus Arezzo G1 550	H1950 W940 D585	H1761 W801 D392	550 L	658 kg	4