Atelier Boonen - Technomax Gold Built-in Safe



Additional information

brand: Technomax

Technomax Gold built-in safe – Wall safe to be built in, Security level S2 (EN 14450)

The Technomax Gold built-in safe is designed to be built into a wall or embedded in concrete and offers a discreet and effective solution for situations with a limited security risk. This wall safe is certified according to EN 14450, Security level S2, and features a monobloc door and front panel in 10 mm steel, manufactured using laser cutting and fitted with a reinforced profile that resists attacks with lever or prying tools.

The front is virtually flat: on the GK and GT almost nothing protrudes, and on the GD only the three code dials (about 10 mm). The safe thus disappears discreetly into the wall, behind a painting or cabinet door.

Depending on the version, the safe is equipped with:

- a double-bitted key lock (GK – certified according to EN 1300, class A),
- a double-bitted key lock combined with a mechanical combination lock with three dials (GD) — the safe only opens with the key when the three dials show the correct code,
- or an electronic code lock with emergency key (GT).

The Technomax Gold built-in safe is available in several formats, each also in a deeper L version, and is an accessible choice for anyone looking for a simple and effective built-in or wall safe. If you require a certified wall safe according to EN 1143-1, see the ATB W wall safe in Grade 1. Those who prefer a free-standing safe, screwed to the floor or wall or integrated into a cabinet, can turn to the Technomax Gold free-standing safes.

See also our other built-in safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Burglary resistant according to EN 14450, Security level S2
Indication value storage Security level S2: € 5 000 cash or € 9 000 valuables

- Certified Security level S2.
- Monobloc door and frame in 10 mm steel.
- Three-sided locking*, reinforced hinges on the inside of the safe (*not on sizes 1, 2 and 3).
- Virtually flat front: on GK and GT almost nothing protrudes, on GD only the three code dials (± 10 mm).
- GK with double-bitted key lock (EN 1300, class A).
- GD with double-bitted key lock and mechanical combination lock with three dials; opening is only possible with the key when the code is correct.
- GT with electronic code lock on batteries, with emergency power terminals and a double-bitted emergency key lock.
- Each size also available in a deeper L version.
- Colour: dark blue.

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
GK 1	H210 W270 D150	H190 W250 D100	5 L	10 kg	0
GK 2	H210 W270 D200	H190 W250 D150	7 L	11 kg	0
GK 3B	H210 W340 D150	H185 W315 D100	6 L	12 kg	0
GK 3	H210 W340 D200	H190 W320 D150	9 L	13 kg	0
GK 4	H270 W390 D200	H245 W365 D150	14 L	18 kg	0
GK 4L	H270 W390 D240	H250 W370 D190	18 L	21 kg	1
GK 5	H340 W460 D200	H315 W435 D150	21 L	25 kg	1
GK 5L	H340 W460 D240	H320 W440 D190	27 L	28 kg	1
GK 6	H420 W480 D230	H395 W455 D180	33 L	33 kg	0
GK 6L	H420 W480 D280	H400 W460 D230	42 L	33 kg	1
GK 7	H480 W420 D280	H455 W395 D230	43 L	37 kg	1
GK 7L	H480 W420 D360	H460 W400 D310	57 L	35 kg	1
GD 3B	H210 W340 D150	H185 W315 D100	7 L	13 kg	1
GD 3	H210 W340 D200	H185 W315 D150	9 L	13 kg	1
GD 4	H270 W390 D200	H245 W365 D150	14 L	18 kg	1
GD 4L	H270 W390 D240	H250 W370 D190	18 L	21 kg	1
GD 5	H340 W460 D200	H315 W435 D150	21 L	25 kg	1
GD 5L	H340 W460 D240	H320 W440 D190	27 L	28 kg	1
GD 6	H420 W480 D230	H395 W455 D180	33 L	34 kg	1
GD 6L	H420 W480 D280	H400 W460 D230	42 L	33 kg	1

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
GD 7	H480 W420 D280	H455 W395 D230	43 L	35 kg	1
GD 7L	H480 W420 D360	H460 W400 D310	57 L	35 kg	1
GT 1P	H210 W270 D150	H185 W245 D100	5 L	10 kg	0
GT 2P	H210 W270 D200	H185 W245 D150	7 L	11 kg	0
GT 3BP	H210 W340 D150	H185 W315 D100	7 L	13 kg	0
GT 3P	H210 W340 D200	H185 W315 D150	8 L	13 kg	0
GT 4P	H270 W390 D200	H245 W365 D150	14 L	18 kg	1
GT 4LP	H270 W390 D240	H250 W370 D190	18 L	21 kg	1
GT 5P	H340 W460 D200	H315 W435 D150	21 L	25 kg	1
GT 5LP	H340 W460 D240	H320 W440 D190	27 L	28 kg	1
GT 6P	H420 W480 D230	H395 W455 D180	33 L	34 kg	1
GT 6LP	H420 W480 D280	H400 W460 D230	42 L	33 kg	1
GT 7P	H480 W420 D280	H455 W395 D230	43 L	35 kg	1
GT 7LP	H480 W420 D360	H460 W400 D310	57 L	35 kg	0