Atelier Boonen - Kaso E300 Deposit



Additional information

brand: Kaso Safes

Kaso E-300 - Keyless deposit safe, Grade 1, 2 or 3 (EN 1143-2 D1–D3)

The Kaso E-300 is a high-quality deposit safe, designed for the safe and smooth handling of daily takings. Both the safe and the deposit system are fully tested according to EN 1143-2; the series is available as a Grade 1, Grade 2 or Grade 3 deposit safe (D1, D2 and D3).

Unlike most deposit safes, the Kaso E-300 features a drawer without a lock: staff need no key or code to deposit values. The drawer works with a controlled mechanism that automatically drops the contents into the safe compartment, and thanks to the anti-fishing device, the contents cannot be retrieved through the drawer. Optionally, the drawer can still be fitted with a lock.

The durable BFP construction — a multi-walled structure developed by Kaso, up to three times lighter than traditional armouring — is suited to intensive daily use. The deposit drawer can be positioned at the front or rear, and the door is also available left-hinged, allowing installation in virtually any situation.

The Kaso E-300 shares the same dimensions as the Kaso PTK 300 fire safe from the same series. The two can be stacked to form a combination safe: the fire safe on top for cash registers and documents, with the deposit safe below for skimming off takings. Available in three formats (310, 320 and 330), as standard with a key lock; other lock options are possible. Finish: light grey RAL 7035.

See also our other deposit safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Burglary resistant class D1 to D3 (EN 1143-2)
Indicative value retention class D1: € 10 000 cash or € 20 000 valuables
Indicative value retention class D2: € 25 000 cash or € 50 000 valuables
Indicative value retention class D3: € 45 000 cash or € 90 000 valuables

- Fully certified deposit safe, tested by ECB·S in accordance with the European standard EN 1143-2, in Grades D1 to D3. The deposit function does not affect the indication value retention of the safe.
- Deposit system equipped with an anti-fishing device that prevents reaching the deposited values.
- No keys or codes needed for depositing; the drawer can optionally be fitted with a lock.
- Door and body in BFP, a multi-walled construction developed by Kaso with excellent burglary- and fire-resistant properties — up to three times lighter than traditional armouring.
- Four-sided locking.
- Equipped as standard with a Mauer Grade A double-bitted key lock.
- Deposit drawer can be positioned at the front or rear of the safe.
- Door also available left-hinged.
- Same dimensions as the Kaso PTK 300 series: stackable into a combination safe.
- Anchoring holes provided in the base.
- Colour: light grey RAL 7035.

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
310 I	H912 W618 D550	H493 W486 D364	87 L	430 kg	0
320 I	H1262 W618 D550	H843 W486 D364	149 L	510 kg	0
330 I	H1612 W618 D550	H1193 W486 D364	211 L	600 kg	0

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
310 II	H912 W618 D550	H493 W486 D364	87 L	460 kg	0
320 II	H1262 W618 D550	H843 W486 D364	149 L	540 kg	0
330 II	H1612 W618 D550	H1193 W486 D364	211 L	630 kg	0

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
310 III	H912 W618 D550	H493 W486 D364	87 L	490 kg	0
320 III	H1262 W618 D550	H843 W486 D364	149 L	580 kg	0
330 III	H1612 W618 D550	H1193 W486 D364	211 L	670 kg	0