

Atelier Boonen - Fichet-Bauche Complice wall safe



Additional information

The Fichet-Bauche Complice built-in safe is a compact, certified solution for securely storing valuables and important documents in home or office environments. With its solid steel construction, 87 mm reinforced door, and full-height locking bolt, it offers excellent resistance against forced entry.

The Complice is certified to EN 1143-1 Grade 0 (ECB•S / A2P) and available in three built-in sizes: 10, 20 and 40 litres.

You can choose between:

- the MxB key lock, combined with a three-dial mechanical code lock, or
- the Nectra electronic lock with programmable time delay.

The Fichet-Bauche Complice ensures certified security in a discreet, functional design—well suited for both private and professional settings.

It is an excellent choice for anyone seeking a reliable, certified built-in or wall safe with a discreet and professional appearance.

If you are looking for a safe to be fixed to the floor and/or wall, choose the <u>freestanding Fichet-Bauche</u> <u>Complice safe.</u>

Burglary resistant Class 0

- Fichet Complice gets its strength from 48 mm double-walled sheet steel walls, a reinforced 87 mm thick door and specially designed extra strong mineral composite material.
- The safe is locked by a single steel latch pin running the entire length of the door. In case of attacks with mechanical or thermal tools, the lock is completely blocked by a deadbolt.
- Equipped with an electronic lock or Fichet-Bauche M3b key lock and 3 button combination



- Anchor holes provided in back and bottom
- Color: anthracite gray



Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<u>10</u>	H360 W455 D234	H260 W360 D140	13 L	27 kg	1
<u>20</u>	H360 W455 D314	H260 W360 D220	21 L	32 kg	1
<u>40</u>	H500 W455 D394	H400 W360 D300	43 L	45 kg	2
<u>10 E</u>	H360 W455 D234	H260 W360 D140	13 L	27 kg	1
<u>20 E</u>	H360 W455 D314	H260 W360 D220	21 L	32 kg	1
<u>40 E</u>	H500 W455 D394	H400 W360 D300	43 L	45 kg	2