

## Atelier Boonen - Robur DD



### Additional information

Robur DD - Deposit safe with integrated drum mechanism

The Robur DD is a robust deposit safe with an integrated drum, designed for the secure and efficient deposit of valuables. The deposit drum is built directly into the safe's structure, offering the same level of resistance as the door and body.

These models are based on certified safes that comply with EN 1143-1 security class II or III. The door and body feature a multi-walled construction, filled with a special composite material that protects against both mechanical and thermal attacks. A three-way locking system with solid steel bolts, a hinge-side locking profile, and a passive relocking system further reinforce the security.

The locking mechanism is protected by additional internal armouring. The safe is supplied as standard with a double-bitted key lock, but other locking options are available, including electronic or mechanical combination locks, or a dual-lock configuration.

- Built on the basis of class II and III tested safes
- Multi-walled door and body filled with a special composite material
- Three-sided locking by means of steel bolts
- Lock and frame protected with additional armoring and passive locking system
- Hook-in profile on the hinge side
- Standard equipped with double bit key lock on door
- Prepared for anchoring
- Color: light gray RAL 7035

## Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<a href="#">II 55</a>	H770 W480 D480	H390 W360 D300	42 L	350 kg	0
<a href="#">II 70</a>	H920 W480 D480	H540 W360 D300	58 L	400 kg	0