Atelier Boonen - Robur DD



Additional information

brand: Robur safes

Robur DD – Deposit safe with integrated drum

The Robur DD is a robust deposit safe with an integrated drum, designed for situations requiring safe and efficient depositing of values. The deposit drum is fully integrated into the safe structure and therefore offers the same resistance as the body and door — depositing through the drum is always secure, even without additional locking.

By combining a full safe compartment with a deposit drum in a single unit, the Robur DD serves as a combination safe: the compartment holds cash registers, change and documents, while staff skim off takings through the drum without access to the contents. One unit does the job where two stacked safes would otherwise be needed.

These models are based on tested Grade 2 or 3 safes. The standard versions (II 55 and II 70) are built on Grade 2; a Grade 3-based version is available on request. The door and body are multi-walled and filled with a special composite that protects against mechanical and thermal attacks. The door is locked on

four sides: solid steel bolts on three sides and a hook profile on the hinge side, complemented by a passive blocking system.

The lock and boltwork are fitted with additional armour plating. Equipped as standard with a double-bitted key lock, but various other lock options are possible, including electronic or mechanical combination locks, or a combination of two locks.

See also our other deposit safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

- Built on the basis of tested Grade 2 and 3 safes.
- Deposit drum fully integrated into the safe structure, with the same resistance as body and door.
- Multi-walled door and body, filled with a special composite.
- Four-sided door locking: solid steel bolts on three sides and a hook profile on the hinge side.
- Lock and boltwork protected by additional armour plating and a passive blocking system.
- Equipped as standard with a double-bitted key lock on the door; other lock options possible.
- Prepared for anchoring.
- Colour: light grey RAL 7035.

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Il 55	H770 W480 D480	H390 W360 D300	42 L	350 kg	0
Il 70	H920 W480 D480	H540 W360 D300	58 L	400 kg	0