Atelier Boonen - Robur RSK



Additional information

brand: Robur safes

Robur RSK Security Cabinet - Maximum resistance in accordance with Swedish standard SS 3492

The Robur RSK series consists of exceptionally robust armoured security cabinets designed for the secure storage of valuable goods, documents, stock, tools and other items that need to be protected against unauthorised access. Thanks to their heavy 4 mm cold-rolled steel construction and well-designed locking system, these cabinets are, in practice, impossible to open with conventional hand tools such as chisels, screwdrivers, crowbars or other prying tools.

The door and body interlock on all four sides, combined with a hinge-side locking profile and a three-sided locking system with four internal steel bolts. The lock and locking mechanism are protected against drilling by a manganese steel plate.

The Robur RSK is tested according to the Swedish SS 3492 standard and is available in eight sizes, from compact models to large security cabinets with a usable volume of up to 886 litres. The RSK 1900/2 INS model features retractable doors that slide fully into the cabinet body when opened. This keeps the doors out of the way and provides practical access in confined or structured environments.

The RSK is supplied as standard with a FAS key lock. Other lock types are available as options, including electronic code locks, badge readers or combined access control systems. The internal shelves are height-adjustable and the cabinet is prepared for floor anchoring.

See also our other security cabinets or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

- Walls in cold-rolled steel plate 4 mm thick

- Three-sided locking by means of 4 steel shots
- Hook-in profile on the hinge side
- Door and body interlock on the 4 sides
- FAS key lock as standard
- Shelves adjustable in height
- Prepared for floor anchoring.

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
RSK450	H450 W480 D480	H442 W392 D310	54 L	50 kg	1
RSK550/500	H550 W500 D380	H420 W385 D295	99 L	62 kg	1
RSK700	H700 W600 D480	H570 W485 D395	193 L	100 kg	1
RSK900	H900 W475 D490	H770 W360 D405	201 L	110 kg	2
RSK1500	H1500 W575 D400	H1492 W567 D315	266 L	152 kg	3
RSK1600	H1600 W600 D480	H1470 W485 D395	445 L	180 kg	3
RSK1900	H1900 W750 D480	H1770 W635 D395	663 L	220 kg	4
RSK1900/2	H1900 W1000 D480	H1770 W900 D395	886 L	290 kg	4