

Atelier Boonen - Salvus Rome



Additional information

Salvus Rome - Certified burglary- and fire-resistant safe (Grade III, LFS 30P)

The Salvus Rome is a Grade III certified safe, tested according to EN 1143-1 for burglary resistance. It also offers 30 minutes of fire protection for paper documents, tested to the EN 15659 – LFS30P standard, up to 850°C. This certification is intended for environments with limited fire risk.

The safe features a multi-walled construction, filled with a specialised type of Ultra High Performance Concrete, offering strong resistance against mechanical and thermal attacks. The three-sided locking system with solid steel bolts is reinforced by an interlocking profile on the hinge side, which renders attacks on the hinges ineffective. An advanced relocker system automatically activates in the event of an attempted break-in.

The Salvus Rome fireproof safe is available with a key lock, mechanical combination lock or electronic code lock, and is prepared for floor and wall anchoring.

The range includes various models with internal volumes from 48 to 342 litres, each offering certified protection against burglary and fire.

Fireproof 30 min for paper
Burglary-resistant Class 3

Indication of Class 3 value retention: € 45 000 cash or € 90 000 valuables

- Tested and certified by ECB.S in accordance with European standard EN 1143-1 in Grade III
- Fire resistant tested 30 minutes for paper according to EN 15659 LFS 30P
- Multi-walled construction of walls and door.
- Three-sided locking by stainless steel bolts.
- Hook-in profile on hinge side.
- Standard equipped with double bit key lock
- Shelves adjustable in height
- Anchor holes provided in back and bottom
- Color: anthracite grey RAL7024

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Rome 1	H500 W510 D510	H373 W395 D327	48 L	228 kg	1
Rome 2	H610 W680 D510	H483 W565 D327	104 L	309 kg	1
Rome 3	H670 W510 D510	H544 W395 D327	70 L	281 kg	1
Rome 4	H810 W680 D510	H683 W565 D327	126 L	396 kg	2
Rome 5	H990 W510 D510	H863 W395 D327	129 L	366 kg	2
Rome 6	H1010 W680 D510	H883 W565 D327	163 L	478 kg	2
Rome 7	H1200 W850 D660	H1053 W715 D467	387 L	779 kg	2
Rome 8	H1320 W680 D510	H1193 W565 D327	247 L	559 kg	3
Rome 9	H1320 W850 D510	H1173 W715 D327	295 L	719 kg	3
Rome 10	H1510 W850 D660	H1363 W715 D467	497 L	945 kg	3
Rome 11	H1510 W850 D600	H1363 W715 D407	435 L	881 kg	3
Rome 12	H1660 W680 D510	H1513 W545 D327	292 L	747 kg	4
Rome 13	H1660 W850 D510	H1513 W715 D327	379 L	873 kg	4