Atelier Boonen - ATB Safe G1, G2 and G3



Additional information

brand: ATB Safes

ATB Safe G Series – Burglary-resistant safes (EN 1143-1, Grade I / II / III)

The ATB Safe G Series consists of freestanding safes certified to EN 1143-1, available in Grade I (G1), Grade II (G2), and Grade III (G3). The multi-walled body is constructed from burglary-resistant composite, reinforced according to the security grade.

Each safe is fitted with a three-sided locking system using solid steel bolts. A hinge-side interlocking profile protects against tampering, making attacks on the hinges ineffective. The locking mechanism is shielded with manganese steel plating and features a passive relocker that automatically activates in the event of a burglary attempt.

The door opens 180° and is right-hinged. Anchoring to the floor and rear wall is possible.

Standard models are fitted with a double-bitted key lock, and are optionally available with a mechanical combination lock, electronic code lock, or a combination of two locking systems.

Built from durable materials with a simple yet robust mechanism, these safes are ideal for demanding, professional use.

See also our other burglary resistant safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Burglary-resistant Class 1, 2 and 3
Class 1 indication of value retention: € 10 000 cash or € 20 000 valuables
Class 2 indication of value retention: € 25 000 cash or € 50 000 valuables
Class 3 indication of value retention: € 45 000 cash or € 90 000 valuables

- Tested and certified by VdS in accordance with European standard EN 1143-1 in Grades I, II and III
- Multi-walled door and body filled with a special composite material
- Three-sided locking by means of steel bolts
- Lock and frame protected with additional armoring and passive locking system
- Hook-in profile on the hinge side
- Standard equipped with double bit key lock
- Height adjustable shelves
- Door opening 180°
- Prepared for anchoring
- Color: graphite gray RAL 7024

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
G1 1	H435 W490 D430	H370 W418 D295	46 L	128 kg	1
G1 2	H635 W490 D430	H570 W418 D295	70 L	163 kg	1
G1 3	H800 W490 D430	H735 W418 D295	91 L	203 kg	2
G1 10	H600 W600 D500	H535 W528 D365	103 L	204 kg	1
G1 20	H800 W600 D500	H735 W528 D365	141 L	251 kg	2
G1 40	H1000 W600 D500	H935 W528 D365	180 L	302 kg	2
G1 50	H1200 W600 D500	H1135 W528 D365	218 L	350 kg	2
G1 55	H1400 W600 D550	H1335 W528 D415	293 L	420 kg	3
G1 60	H1400 W850 D550	H1335 W778 D415	431 L	529 kg	3
G1 70	H1550 W850 D550	H1485 W778 D415	479 L	578 kg	3
G1 75	H1750 W850 D550	H1685 W778 D415	544 L	660 kg	4
G1 80	H1900 W1200 D550	H1835 W1128 D415	859 L	923 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
G2 3	H550 W405 D475	H475 W322 D308	47 L	185 kg	1
G2 5	H600 W500 D475	H525 W417 D308	67 L	240 kg	1
G2 10	H600 W600 D500	H525 W517 D333	90 L	275 kg	1
G2 20	H800 W600 D500	H725 W517 D333	125 L	340 kg	1
G2 30	H1000 W600 D500	H925 W517 D333	159 L	400 kg	2
G2 40	H1200 W600 D500	H1125 W517 D333	194 L	460 kg	2
G2 50	H1400 W850 D550	H1325 W767 D383	389 L	675 kg	3

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
G2 60	H1550 W850 D550	H1475 W767 D383	433 L	740 kg	3
G2 65	H1900 W850 D550	H1825 W767 D383	536 L	850 kg	4
G2 70	H1900 W1200 D550	H1825 W1117 D383	781 L	1170 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
G3 3	H630 W460 D400	H533 W355 D222	42 L	226 kg	1
G3 5	H684 W544 D400	H587 W439 D222	57 L	275 kg	1
G3 10	H684 W604 D500	H587 W499 D322	94 L	340 kg	1
G3 15T	H684 W604 D660	H587 W499 D482	141 L	380 kg	1
G3 20	H850 W604 D500	H753 W499 D322	121 L	395 kg	1
G3 30	H1000 W604 D500	H903 W499 D322	145 L	452 kg	2
G3 40	H1200 W604 D500	H1103 W499 D322	177 L	522 kg	2
G3 45T	H1200 W604 D660	H1103 W499 D482	265 L	612 kg	2
G3 50	H1400 W850 D550	H1303 W745 D372	361 L	795 kg	3
G3 60	H1550 W850 D550	H1453 W745 D372	403 L	863 kg	3
G3 65T	H1550 W850 D660	H1453 W745 D482	522 L	956 kg	3
G3 65	H1750 W850 D550	H1653 W745 D372	458 L	957 kg	4
G3 70	H1900 W1200 D550	H1803 W1095 D372	734 L	1380 kg	4