Atelier Boonen - ATB FSP



Additional information

brand: ATB Safes

ATB FSP – Fire- and burglary-resistant data safe (S 120 DIS / Grade I)
The ATB FSP is a high-security data safe designed for the protection of digital storage media such as hard drives, magnetic tapes and optical discs. It offers 120 minutes of certified fire protection, tested to EN 1047-1, class S 120 DIS. During this test, internal temperatures remain below 50°C, even when exposed to 1090°C, including drop and thermal shock resistance.

In addition to its fire resistance, the FSP series is also certified for burglary protection according to EN 1143-1, Grade I, making it an ideal solution for IT environments, document archives or any application where both fire and theft risks are a concern.

The body features a multi-layered construction filled with fire-resistant insulation. The door is secured with a four-way locking mechanism using robust steel bolts. A high-security double-bit key lock is supplied as standard, with optional upgrades available such as electronic keypads, mechanical combination locks, or combinations with audit trail or emergency key access.

Available in multiple sizes from 49 to 189 litres, the safe includes 180° door opening and is prepared for floor anchoring.

See also our other fire resistant cabinets and data safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Fire resistant 120 min for sensitive media
Burglary resistant grade 1
Indicative value retention grade 1: € 10 000 cash or € 20 000 valuables

- Tested and certified by VdS according to EN 1143-1, Grade I
- Fire resistant tested 120 minutes for sensitive media according to EN 1047-1 S 120 DIS
- Multi-walled body and door construction, filled with a special composite providing certified fire and burglary resistance
- Four-way locking by means of solid steel bolts
- Lock and boltwork mechanism protected by additional armour plating
- Standard equipped with a double-bit key lock
- Height-adjustable shelves
- Maximum door opening: 180°
- Colour: anthracite grey RAL 7024 or light grey RAL 7035

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
FSP 0	H771 W644 D809	H400 W289 D413	48 L	329 kg	2
FSP 1	H801 W854 D851	H410 W494 D464	94 L	441 kg	2
FSP 2	H1012 W854 D841	H610 W494 D455	137 L	516 kg	2
FSP 3	H1231 W854 D851	H840 W494 D464	193 L	640 kg	2