

Atelier Boonen - ATB L safe



Additional information

ATB L - Burglary-resistant safe (EN 1143-1, Grade I)

The ATB L is a freestanding safe certified to EN 1143-1, Grade I. It combines an efficient, lightweight design with generous internal space and high-quality construction.

Equipped with a three-sided locking system and fixed bolts on the hinge side, the ATB L offers effective resistance against burglary attempts. The door opens 180° and is right-hinged.

Anchoring to the floor and rear wall is possible; mounting hardware is included.

The safe is available with a key lock, mechanical combination lock, or electronic code lock, with various models and options available – including time delay or audit functionality.

The ATB L series comes in multiple sizes, with internal volumes ranging from 16 to 341 litres. Manufactured in Germany, these safes offer outstanding value for money.

Burglary-resistant Class 1

Indication of Class 1 value retention: € 10 000 cash or € 20 000 valuables



- Tested and certified by ECB.S in accordance with European standard EN 1143-1 in Grades I
- Multi-walled door and body
- Four-sided locking by means of steel bolts
- Lock and frame protected with additional armoring and passive locking system
- Door opening 180°
- Standard equipped with double bit key lock
- Height adjustable shelves
- Prepared for anchoring
- Color: graphite gray RAL 7024 or light gray RAL 7035



Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<u>L1A1</u>	H405 W400 D270	H325 W311 D155	16 L	42 kg	1
<u>L2</u>	H405 W400 D420	H325 W311 D305	31 L	52 kg	1
<u>L3</u>	H605 W500 D420	H525 W411 D305	66 L	76 kg	2
<u>L4</u>	H750 W500 D420	H670 W411 D305	84 L	89 kg	2
<u>L5</u>	H950 W500 D420	H870 W411 D305	109 L	107 kg	2
<u>L7</u>	H1020 W500 D420	H940 W411 D305	118 L	113 kg	2
<u>L12</u>	H1400 W400 D420	H1320 W311 D305	125 L	148 kg	3
<u>L14</u>	H1400 W500 D420	H1320 W411 D305	165 L	168 kg	3
<u>L16</u>	H1550 W650 D420	H1470 W561 D305	252 L	219 kg	4
<u>L18</u>	H1550 W850 D420	H1470 W761 D305	341 L	303 kg	4