

Atelier Boonen - ATB GS Combi Weapon Safe



Additional information

brand: ATB Safes

ATB GS - Grade I gun safe for long and short firearms (EN 1143-1)

The ATB GS gun safe is designed for the secure storage of long firearms, in accordance with the European EN 1143-1 standard, Grade I. Built on the same structure as the ATB C pistol safe, it includes an integrated rack for rifles and shotguns. Depending on the model, the safe can accommodate firearms up to 1470 mm in length.

Its reinforced construction features a four-sided locking system with solid steel bolts and fixed locking pins on the hinge side. The right-hinged door opens to 180°. Anchoring holes for floor and wall mounting are pre-drilled, and mounting hardware is included.

The ATB GS is equipped with a double-bitted key lock as standard. Optional locking systems include mechanical combination locks or electronic code locks, with features such as time delay, audit trail, or an emergency override key.

Most models can be equipped with a lockable interior compartment – ideal for storing ammunition or personal items.

The ATB GS is available in various models up to 1550 mm in height, with capacity for 6 to 14 firearms, optionally combined with shelves for ammunition or documents. Finished in graphite grey (RAL 7024).

Burglary resistant class I

Indicative value storage class 1: € 10 000 cash or € 20 000 valuables

- Tested by VdS and certified by ECB.S according to European standard EN 1143-1 in Grade I
- Three-sided locking with steel bolts
- Hook-in profile on the hinge side
- Standard with double bit key lock
- Prepared for anchoring
- Color: gray RAL 7024

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves	Guns
Combi VII	H1400 W400 D420	H1320 W311 D305	0 L	148 kg	0	6
Combi VIII	H1400 W400 D420	H1320 W311 D305	0 L	156 kg	3	3
Combi I	H1400 W500 D420	H1320 W411 D305	0 L	168 kg	0	8
Combi VI	H1400 W500 D420	H1320 W411 D305	0 L	177 kg	4	4
Combi II	H1550 W650 D420	H1470 W561 D305	0 L	219 kg	0	10
Combi III	H1550 W650 D420	H1470 W561 D305	0 L	228 kg	5	6
Combi IV	H1550 W850 D420	H1470 W761 D305	0 L	303 kg	1	14
Combi V	H1550 W850 D420	H1470 W761 D305	0 L	308 kg	5	8