# Atelier Boonen - Chubbsafes Custodian



## Additional information

brand: Chubbsafes

Chubbsafes Custodian (Discontinued)

Chubbsafes Custodian was for many years a trusted high-security safe for medium-sized offices, bank branches and retail environments. Built with innovative GRAVITON barrier material, the range offered excellent burglary resistance, certified to EN 1143-1 in Grades IV and V. With its ergonomic soft-touch handle, versatile interior fittings and sleek finish in RAL 7016 and 7040, the Custodian combined practical functionality with discreet elegance.

Although this model is no longer in production, the need for certified high-level protection is carried forward by the DuoForce T2 and TriForce T2. These next-generation safes provide not only enhanced burglary resistance, but also certified fire protection (NT Fire 017 – 60 Paper) and, in the case of the TriForce, resistance to explosives — all tested in accordance with the updated EN 1143-1:2019 T2 standard.

Discover the Chubbsafes DuoForce T2 and TriForce T2 as the modern successors to the Custodian.

See also our other burglary resistant safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Burglary resistant class 4,5
Indicated value retention class 4: € 75 000 cash or € 150 000 valuables
Indicated value retention class 5: € 125 000 cash or € 250 000 valuables

- Tested by VdS and certified by ECB·S according to European standard EN 1143-1 Grades IV and V
- Multi-walled door and body filled with a Chubbsafes patented GRAVITON composite for an optimized weight to volume ratio
- Three sided locking by steel bolts
- Hook-in profile on the hinge side
- Double bit key lock and mechanical code lock fitted as standard
- Height adjustable shelves
- Prepared for anchoring
- Color: dark grey

## Model specifications

| Model | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|---|---|---|---|---|---|
| IV-110 | H790 W730 D560 | H620 W560 D320 | 111 L | 549 kg | 1 |
| IV-170 | H920 W730 D640 | H750 W560 D400 | 168 L | 681 kg | 1 |
| IV-210 | H920 W730 D740 | H750 W560 D500 | 210 L | 760 kg | 1 |
| IV-310 | H1270 W730 D740 | H1100 W560 D500 | 308 L | 985 kg | 2 |
| IV-415 | H1470 W810 D740 | H1300 W640 D500 | 416 L | 1201 kg | 3 |
| IV-595 | H1850 W880 D740 | H1680 W710 D500 | 596 L | 1558 kg | 3 |

| Model | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|---|---|---|---|---|---|
| V-110 | H790 W730 D560 | H620 W560 D320 | 111 L | 553 kg | 1 |
| V-170 | H920 W730 D640 | H750 W560 D400 | 168 L | 688 kg | 1 |
| V-210 | H920 W730 D740 | H750 W560 D500 | 210 L | 767 kg | 1 |
| V-310 | H1270 W730 D740 | H1100 W560 D500 | 308 L | 999 kg | 2 |
| V-415 | H1470 W810 D740 | H1300 W640 D500 | 416 L | 1217 kg | 2 |
| V-595 | H1850 W880 D740 | H1680 W710 D500 | 596 L | 1575 kg | 3 |