

## Atelier Boonen - ATB Bravo- Safe grade 3



### Additional information

ATB Bravo - compact burglary resistant safe (Grade 3, EN 1143-1, ECB-S)

The ATB Bravo range consists of compact and robust Grade 3 burglary resistant safes, officially certified by ECB-S according to the European standard EN 1143-1. This certification confirms that ATB Bravo safes meet the strictest requirements for burglary resistance.

Each safe is built with a multi-walled steel construction, combining different types of steel, armour plates, reinforcing elements and a core of UHPC (Ultra High Performance Concrete). The door is locked on three sides with solid steel bolts, while fixed bolts on the hinge side prevent side attacks. A passive relocking system automatically engages in the event of a burglary attempt.

A fire-resistant intumescent seal around the door and frame provides additional protection against heat, smoke and flames.

The ATB Bravo range includes 9 models with capacities from 18 to 604 litres. A unique feature is the inclusion of the smallest safe on the market that is officially certified Grade 3. This makes it the most secure safe available in such a compact format. Although designed as a freestanding safe, its dimensions also allow it to be built into a wall or used as an inner safe inside a larger safe or armoured cabinet.

Available locking options include a key lock, mechanical combination lock, electronic code lock, or a combination thereof, all certified according to EN 1300.

Thanks to their compact size, official Grade 3 certification and flexible installation options, the ATB Bravo burglary resistant safes are an ideal solution for private users and businesses requiring a reliable and space-saving security option.

Burglary-resistant Class 3

Indication of Class 3 value retention: € 45 000 cash or € 90 000 valuables

- Tested by and certified by ECB.S in accordance with European standard EN 1143-1 in Grade III
- Multi-walled door and body filled with a special composite material
- Four-sided locking by means of steel bolts
- Lock and frame protected with additional armoring and passive locking system
- Standard equipped with double bit key lock
- Height adjustable shelves
- Prepared for floor and wall anchoring.
- Color: light grey

## Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
<a href="#">AR1</a>	H350 W440 D350	H250 W340 D205	18 L	130 kg	1
<a href="#">AR2</a>	H500 W450 D450	H400 W350 D305	45 L	210 kg	2
<a href="#">AR3</a>	H650 W550 D550	H550 W450 D405	100 L	340 kg	2
<a href="#">AR4</a>	H800 W550 D550	H700 W450 D405	125 L	400 kg	3
<a href="#">AR5</a>	H950 W550 D550	H850 W450 D405	155 L	460 kg	3
<a href="#">AR6</a>	H1100 W550 D550	H1000 W450 D405	180 L	520 kg	4
<a href="#">AR7</a>	H1250 W550 D550	H1150 W450 D405	210 L	580 kg	5
<a href="#">AR8</a>	H1400 W650 D650	H1300 W550 D505	360 L	790 kg	5
<a href="#">AR9</a>	H1550 W800 D750	H1450 W700 D605	615 L	1080 kg	6