Atelier Boonen - DRS Köln / Wuppertal / Berlin / Prague



Additional information

brand: De Raat Safes

Four series in grade 0 to 2 with 60 or 120 minutes of fire protection for paper

The DRS Köln, Wuppertal, Berlin and Prague by De Raat combine a certified burglary grade according to EN 1143-1 with a fire test for paper according to EN 1047-1, including a 9.15 metre drop test. They protect documents, cash and valuables against both burglary and fire.

The series differ in burglary grade and fire duration. The Köln (grade 0) and the Wuppertal (grade 1) are fire resistant for 60 minutes for paper (S 60 P) and share the same external dimensions. The Wuppertal also comes in a narrow version, 463 mm wide, from 29 to 70 litres. The Berlin (grade 1) and the Prague (grade 2) are fire resistant for 120 minutes for paper (S 120 P). You first choose the grade that suits the value, then the fire duration.

All models have external hinges, so the door opens to 180°. The door locks on four sides: moving bolts on the lock side, top and bottom, and fixed bolts on the hinge side. They come with a double-bit key lock and can be fitted with an electronic code lock instead. The Köln 14 and Wuppertal 14 have two doors, as do the Berlin and Prague 6, 7 and 8; the Prague 7 and 8 also have a central partition. Inside, the shelves are height-adjustable. Options include a lockable inner compartment, a pull-out suspension file frame, pull-out shelves for the Berlin and Prague, LED lighting and a left-hinged door.

Every model is prepared for floor anchoring. Without anchoring, the certified resistance grade is not guaranteed.

See also our other fire-resistant safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Fire resistant 60 or 120 minutes for paper
Burglary resistant grade 0, 1 or 2
Indicative value retention class 0: € 7 000 cash or € 14 000 valuables
Indicative value retention class 1: € 10 000 cash or € 20 000 valuables
Indicative value retention class 2: € 25 000 cash or € 50 000 valuables

- Tested and certified by VdS in accordance with European standard EN 1143-1: Köln in grade 0, Wuppertal and Berlin in grade 1, Prague in grade 2.
- Fire tested by VdS according to EN 1047-1: 60 minutes for paper (S 60 P) for Köln and Wuppertal, 120

minutes for paper (S 120 P) for Berlin and Prague, each with a 9.15 metre drop test.
- Multi-walled construction of body and door: 50 mm body with a 95 mm door (Köln) or 105 mm door (Wuppertal), 72 mm body with a 132 mm door (Berlin), 86 mm body with a 135 mm door (Prague).
- Four-way locking: moving bolts on the lock side, top and bottom, fixed bolts on the hinge side.
- External hinges; the door opens to 180°.
- Fitted as standard with a VdS-certified double-bit key lock (class 1) with two keys; electronic code lock optional.
- Height-adjustable shelves.
- Two doors: Köln 14, Wuppertal 14, WUP S 8, S 11 and S 14, Berlin and Prague 6 to 8; Prague 7 and 8 with central partition.
- Prepared as standard for floor anchoring.
- Colour: RAL 7035 light grey.
- Stated external depth excludes the handle, which protrudes 60 mm.

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
KÖLN 0	H379 W589 D471	H278 W477 D339	46 L	125 kg	1
KÖLN 1	H482 W589 D471	H381 W477 D339	62 L	140 kg	1
KÖLN 2	H615 W589 D471	H514 W477 D339	82 L	160 kg	2
KÖLN 3	H801 W589 D471	H700 W477 D339	112 L	210 kg	2
KÖLN 4	H1137 W704 D471	H1036 W592 D339	203 L	315 kg	3
KÖLN 5	H1322 W704 D471	H1221 W592 D339	239 L	340 kg	3
KÖLN 6	H1507 W704 D471	H1406 W592 D339	275 L	375 kg	3
KÖLN 12	H1700 W886 D545	H1599 W774 D413	512 L	539 kg	4
KÖLN 13	H1884 W886 D545	H1783 W774 D413	570 L	586 kg	4
KÖLN 14	H1884 W1282 D559	H1783 W1170 D403	840 L	880 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
WUP smal 1	H380 W463 D440	H279 W351 D298	29 L	105 kg	1
WUP smal 2	H440 W463 D440	H339 W351 D298	35 L	115 kg	1
WUP 0	H379 W589 D471	H278 W477 D329	46 L	128 kg	1
WUP smal 3	H615 W463 D440	H514 W351 D298	54 L	145 kg	2
WUP 1	H482 W589 D471	H381 W477 D329	62 L	144 kg	1
WUP smal 4	H775 W463 D440	H674 W351 D298	70 L	165 kg	2
WUP 2	H615 W589 D471	H514 W477 D329	82 L	170 kg	2
WUP 3	H801 W589 D471	H700 W477 D329	112 L	215 kg	2
WUP 4	H1137 W704 D471	H1036 W592 D329	203 L	330 kg	3

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
WUP 5	H1322 W704 D471	H1221 W592 D329	239 L	365 kg	3
WUP 6	H1507 W704 D471	H1406 W592 D329	275 L	395 kg	3
WUP 12	H1700 W886 D545	H1599 W774 D403	498 L	547 kg	4
WUP 13	H1884 W886 D545	H1783 W774 D403	556 L	586 kg	4
WUP S 8	H1884 W975 D696	H1783 W863 D530	816 L	795 kg	4
WUP 14	H1884 W1282 D559	H1783 W1170 D393	819 L	886 kg	4
WUP S 11	H1884 W1128 D696	H1783 W1060 D530	960 L	851 kg	4
WUP S 14	H1884 W1282 D696	H1783 W1170 D530	1106 L	951 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
BER 0	H489 W605 D560	H273 W448 D358	44 L	178 kg	1
BER 1	H590 W605 D560	H374 W448 D358	60 L	198 kg	1
BER 2	H1050 W605 D560	H769 W448 D368	126 L	335 kg	2
BER 3	H1400 W794 D560	H1109 W637 D358	253 L	497 kg	2
BER 4	H1600 W794 D560	H1309 W637 D358	298 L	593 kg	3
BER 5	H1800 W794 D560	H1509 W637 D358	344 L	728 kg	3
BER 6	H1800 W1350 D560	H1504 W1193 D358	642 L	1025 kg	3
BER 7	H1800 W1766 D560	H1505 W1609 D358	867 L	1310 kg	6
BER 8	H2033 W1766 D560	H1737 W1609 D358	1001 L	1460 kg	8

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
PRA 0	H550 W632 D573	H317 W448 D350	50 L	240 kg	1
PRA 1	H600 W632 D573	H367 W448 D350	58 L	264 kg	1

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
PRA 2	H1068 W619 D565	H769 W435 D352	118 L	389 kg	2
PRA 3	H1418 W821 D573	H1110 W637 D350	247 L	623 kg	2
PRA 4	H1618 W821 D573	H1310 W637 D350	292 L	700 kg	3
PRA 5	H1811 W821 D573	H1503 W637 D350	335 L	774 kg	3
PRA 6	H1821 W1377 D573	H1507 W1193 D350	613 L	1139 kg	3
PRA 7	H1821 W1775 D573	H1507 W1591 D350	818 L	1452 kg	6
PRA 8	H2042 W1775 D573	H1728 W1591 D350	937 L	1605 kg	8