

Atelier Boonen - DRS Prisma VII



Additional information

Grade VII fire- and burglary-resistant safe

The DRS Prisma VII is a high-security safe, certified to ENII143-1 GradeIVII, and offers 30 minutes of fire protection for paper documents according to ENII15659, LFS 30 P, tested at temperatures up to 850IVC.

Its robust multi-walled construction is reinforced with high-performance burglary-resistant armour, including special protection against drilling, cutting and thermal tools. The three-sided locking system is supported by multiple internal relockers that activate automatically in the event of an attempted breakin.

The Prisma VII comes standard with two double-bitted key locks (ENXI300 ClassXC), but can also be configured with various certified ClassXC electronic locking systems, depending on operational requirements.

With external hinges allowing 180° door opening, secure anchoring points, and adjustable internal shelving, this safe is built to deliver maximum protection without compromising usability.

The DRS Prisma VII offers the highest certified level of burglary resistance – engineered for environments where absolute security is essential.

Fire rated 30 min for paper Burglary resistant Class 7



- Tested and certified by ECB.S in accordance with European standard EN 1143-1 in Grade VII
- Fire-resistant tested 30 minutes for paper according to EN 15659 LFS 30P
- Multi-walled construction of walls and door.
- Three sided locking by stainless steel bolts.
- Hook-in profile on hinge side.
- Standard equipped with 2 double bit key locks
- Shelves adjustable in height
- Anchor holes provided in back and bottom
- Color: light gray RAL 7035 or anthracite gray RAL7024



Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Prisma VII/0	H790 W750 D620	H550 W500 D305	84 L	710 kg	1
Prisma VII/1	H996 W750 D620	H756 W500 D305	115 L	860 kg	1
Prisma VII/2	H1296 W750 D620	H1056 W500 D305	161 L	1090 kg	2
Prisma VII/3	H1590 W850 D740	H1350 W600 D425	344 L	1610 kg	3
Prisma VII/5	H1140 W750 D815	H900 W500 D500	225 L	1170 kg	1
Prisma VII/6	H1440 W750 D815	H1200 W500 D500	300 L	1430 kg	2
Prisma VII/7	H1740 W750 D815	H1500 W500 D500	375 L	1690 kg	3