

## Atelier Boonen - Chubb safes Consul



### Additional information

Chubb safes Consul - Burglary-resistant safe (EN 1143-1, Grade 0 or I)

The Chubb safes Consul is a lightweight safe certified to EN 1143-1, Grade 0 or I, tested and approved by ECB-S. This series offers a cost-effective solution for those seeking a reliable entry-level model with certified protection.

The safe features a multi-walled construction with burglary-resistant infill. The door includes a 10mm thick steel plate and a three-sided locking mechanism with solid bolts. The recessed door design and internal hinges minimise potential attack surfaces.

Anchoring to the floor or rear wall is possible; mounting hardware is included.

Standard models come with a double-bitted key lock. Optionally available with various electronic code locks, including models with time delay and multiple user codes.

Available in multiple sizes, with internal volumes ranging from 13 to 82 litres. From model 25 upwards, storage of A4 binders is supported.

#### Burglary-resistant Class 1

Indicative value storage class 1: € 10 000 cash or € 20 000 valuables

- Tested and certified by ECB.S in accordance with European standard EN 1143-1 in Grade 1.
- Multi-walled construction of walls and door.
- Three-sided locking by means of steel bolts.
- Internal hinges.
- Standard equipped with double bit key lock
- Maximum door opening : 90
- Shelves adjustable in height
- Anchor holes provided in back and bottom
- Color : dark grey

## Model specifications

| Model                 | Outer dimensions (mm) | Internal dimensions (mm) | Volume (L) | Weight (kg) | Shelves |
|-----------------------|-----------------------|--------------------------|------------|-------------|---------|
| <a href="#">GI 20</a> | H330 W450 D330        | H240 W360 D230           | 20 L       | 50 kg       | 1       |
| <a href="#">GI 25</a> | H330 W450 D400        | H240 W360 D300           | 26 L       | 59 kg       | 1       |
| <a href="#">GI 40</a> | H450 W450 D400        | H360 W360 D300           | 39 L       | 72 kg       | 1       |
| <a href="#">GI 50</a> | H570 W450 D400        | H480 W360 D300           | 52 L       | 863 kg      | 1       |
| <a href="#">GI 65</a> | H690 W450 D400        | H600 W360 D300           | 65 L       | 100 kg      | 2       |
| <a href="#">GI 80</a> | H850 W450 D400        | H760 W360 D300           | 82 L       | 117 kg      | 2       |