Atelier Boonen - Chubbsafes Duoguard GII



Additional information

brand: Chubbsafes

Grade II T2 with 60 minutes of fire protection

The Chubbsafes DuoGuard GII is a burglary resistant safe in Grade II according to EN 1143-1, certified by ECB·S to the new T2 version of the standard. T2 testing uses more powerful tools than before: power tools, grinders, cutters and thermal tools.

The safe protects paper documents against fire for 60 minutes according to NT Fire 017 – 60 Paper, certified by RISE (Research Institutes of Sweden). In the test, the safe spends 60 minutes in a furnace at

over 900 °C; after cooling, the inside temperature must not exceed 150 °C.

Door and body are filled with Dualite, a torch-resistant barrier material that protects against burglary and fire while limiting its weight. The three-way boltwork with solid steel bolts is protected by anti-drill plates and an active relocker.

As primary lock you choose a key lock (Class A) or an electronic code lock (Class B), both certified to EN 1300. Dual locking is available from model M-115. The electronic lock offers a master code, a supervisor code and 8 user codes, a time delay of up to 99 minutes, an opening window of 1 to 19 minutes and an optional silent duress alarm.

The DuoGuard GII comes in 7 sizes, from 65 to 443 litres. From model M-115, extendable shelves, drawers, a lockable compartment, a shelf prepared for hanging files and a suspension file frame are available.

See also our other fire resistant safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

Fire resistant 60 min for paper
Burglary resistant grade 2
Indicative value storage grade 2: € 25 000 cash or € 50 000 valuables

- Tested and certified by ECB·S according to European standard EN 1143-1, Grade II T2
- Fire resistant 60 minutes for paper according to NT Fire 017 – 60 Paper (RISE)
- Door and body filled with Dualite: burglary and fire resistant, reduced weight
- Three-way boltwork with solid steel bolts
- Active relocker and anti-drill plates
- Hook-in profile on the hinge side
- Key lock Class A or electronic code lock Class B (EN 1300); dual locking from M-115
- Height adjustable shelves
- Prepared for anchoring
- Colour: anthracite grey

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Chubbsafes Duoguard GII-65	H578 W526 D547	H452 W400 D360	65 L	265 kg	1
Chubbsafes Duoguard GII-115	H716 W626 D587	H590 W500 D386	114 L	379 kg	2
Chubbsafes Duoguard GII-150	H901 W626 D587	H775 W500 D386	150 L	456 kg	2
Chubbsafes Duoguard GII-205	H1176 W626 D587	H1050 W500 D386	203 L	582 kg	2
Chubbsafes Duoguard GII-290	H1626 W626 D587	H1500 W500 D386	290 L	748 kg	3
Chubbsafes Duoguard GII-355	H1626 W701 D611	H1500 W575 D410	354 L	829 kg	3
Chubbsafes Duoguard GII-445	H1876 W701 D641	H1750 W575 D440	443 L	970 kg	3