

Atelier Boonen - Chubbsafes TRIFORCE T2



Additional information

brand: Chubbsafes

Chubbsafes TriForce T2 - Maximum protection against burglary, fire and explosives

The Chubbsafes TriForce T2 is the ultimate solution for high-risk applications requiring maximum protection. Certified to the enhanced EN 1143-1:2019 T2 standard in Grades IV, V and VI, it combines state-of-the-art burglary resistance, explosion resistance (Grades IV EX to VI EX), and fire resistance into a single safe.

Tested with next-generation tools, including thermal and power tools, the TriForce T2 offers resistance to today's most sophisticated attack methods. Its 60-minute fire certification (NT Fire 017 – 60 Paper) guarantees protection for paper contents under extreme temperatures up to 1000°C.

Supplied with two locks as standard – a key lock and a mechanical combination lock – the TriForce T2 also supports a factory-installed electronic lock certified to EN 1300 Class B, featuring programmable user codes, time delay, and silent duress alarm functionality.

Optional enhancements include Planar Protection (alarm-ready internal wiring) and Core Drill (CD) protection, offering reinforced drilling resistance without compromising fire protection.

With a wide model range – from 95 to 1090 litres – ergonomic soft-touch handle, and customisable interiors, the TriForce T2 sets a new benchmark for physical security in sectors such as finance, defence, and critical infrastructure.

Fire-retardant 60 min for paper

Burglary resistant class 4,5,6

Indicative value storage class 4: € 75 000 cash or € 150 000 valuables

Indicative value storage class 5: € 125 000 cash or € 250 000 valuables

Indicative value storage class 6: € 250 000 cash or € 500 000 valuables

- Tested and certified by ECBS in accordance with European standard EN 1143-1 Grades III,IV, V and VI.
- Fire resistant tested 60 minutes for paper according to NT 017 60 Paper

- Additional protection against explosion. Tested and certified EX according to EN 1143-1.
- Three-sided locking by means of steel bolts.
- Hook-in profile on the hinge side
- Double bit key lock and mechanical code lock fitted as standard
- Height adjustable shelves
- Prepared for anchoring
- Color: anthracite gray

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Chubb safes TRIFORCE T2 IV-95	H974 W574 D584	H790 W390 D303	95 L	702 kg	2
Chubb safes TRIFORCE T2 IV-245	H974 W824 D764	H790 W640 D483	245 L	1084 kg	2
Chubb safes TRIFORCE T2 IV-405	H1494 W824 D764	H1310 W640 D483	405 L	1525 kg	3
Chubb safes TRIFORCE T2 IV-520	H1874 W824 D764	H1690 W640 D483	520 L	1849 kg	4
Chubb safes TRIFORCE T2 IV-885	H1874 W1274 D764	H1690 W1090 D483	885 L	2648 kg	4
Chubb safes TRIFORCE T2 IV-1090	H1874 W1524 D764	H1690 W1340 D483	1090 L	3026 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Chubb safes TRIFORCE T2 V-95	H974 W574 D584	H790 W390 D303	95 L	751 kg	2
Chubb safes TRIFORCE T2 V-245	H974 W824 D764	H790 W640 D483	245 L	1175 kg	2
Chubb safes TRIFORCE T2 V-405	H1494 W824 D764	H1310 W640 D483	405 L	1662 kg	3
Chubb safes TRIFORCE T2 V-520	H1874 W824 D764	H1690 W640 D483	520 L	2025 kg	4
Chubb safes TRIFORCE T2 V-885	H1874 W1274 D764	H1690 W1090 D483	885 L	2885 kg	4
Chubb safes TRIFORCE T2 V-1090	H1874 W1524 D764	H1690 W1340 D483	1090 L	3316 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Chubbsafes TRIFORCE T2 VI-95	H994 W594 D604	H790 W390 D303	95 L	824 kg	2
Chubbsafes TRIFORCE T2 VI-245	H994 W844 D784	H790 W640 D483	245 L	1283 kg	2
Chubbsafes TRIFORCE T2 VI-405	H1514 W844 D784	H1310 W640 D483	405 L	1834 kg	3
Chubbsafes TRIFORCE T2 VI-520	H1894 W844 D787	H1690 W640 D483	520 L	2201 kg	4
Chubbsafes TRIFORCE T2 VI-885	H1894 W1294 D784	H1690 W1090 D483	885 L	3164 kg	4
Chubbsafes TRIFORCE T2 VI-1090	H1894 W1544 D784	H1690 W1340 D483	1090 L	3625 kg	4