

Atelier Boonen - Chubb safes DUOFORCE T2



Additional information

brand: Chubb safes

Chubb safes DuoForce T2 - Dual-certified protection built for tomorrow's threats

The Chubb safes DuoForce T2 is a high-security safe offering advanced resistance against burglary and fire. Certified to the latest EN 1143-1:2019 T2 standard in Grades IV, V and VI, it is designed for demanding environments such as banking, luxury retail, logistics and government facilities. The T2 classification involves testing with enhanced modern tools, including high-performance grinders, thermal lances, and cutting tools, ensuring protection against current and emerging threats.

In addition to burglary protection, the DuoForce T2 offers 60 minutes fire resistance for paper documents, tested according to NT Fire 017 - 60 Paper. This makes it ideal for safeguarding sensitive files in the event of a fire.

The safe comes standard with a key lock and mechanical combination lock, with the option of a high-security electronic lock (EN 1300 certified, Class B). Additional security features include Planar Protection (integrated alarm wiring matrix) and optional Core Drill (CD) protection, a unique feature that enhances resistance against drilling while preserving fire integrity.

Available in sizes ranging up to 1090 litres, and equipped with an ergonomic soft-touch handle and a range of interior fittings, the DuoForce T2 is a future-proof solution for high-value asset protection.

Fire-retardant 60 min for paper

Burglary resistant class 4,5,6

Indicative value storage class 4: € 75 000 cash or € 150 000 valuables

Indicative value storage class 5: € 125 000 cash or € 250 000 valuables

Indicative value storage class 6: € 250 000 cash or € 500 000 valuables

- Tested and certified by ECBS in accordance with European standard EN 1143-1 Grades IV, V and VI
- Fire resistant tested 60 minutes for paper according to NT 017 60 Paper
- Three-sided locking by means of steel bolts
- Hook-in profile on the hinge side
- Standard equipped with double bit key lock and mechanical code lock
- Height adjustable shelves

- Prepared for anchoring
- Color: anthracite gray

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Chubb safes DUO FORCE T2 IV-65	H739 W574 D584	H555 W390 D303	65 L	541 kg	1
Chubb safes DUO FORCE T2 IV-95	H974 W574 D584	H790 W390 D303	95 L	679 kg	2
Chubb safes DUO FORCE T2 IV-245	H974 W824 D764	H790 W640 D483	245 L	1058 kg	2
Chubb safes DUO FORCE T2 IV-405	H1494 W824 D764	H1310 W640 D483	405 L	1444 kg	2
Chubb safes DUO FORCE T2 IV-520	H1874 W824 D764	H1690 W640 D483	520 L	1816 kg	4
Chubb safes DUO FORCE T2 IV-885	H1874 W1274 D764	H1690 W1090 D483	885 L	2517 kg	4
Chubb safes DUO FORCE T2 IV-1090	H1874 W1524 D764	H1690 W1340 D483	1090 L	2889 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Chubb safes DUO FORCE T2 V-65	H739 W574 D584	H555 W390 D303	65 L	577 kg	1
Chubb safes DUO FORCE T2 V-95	H974 W574 D584	H790 W390 D303	95 L	727 kg	2
Chubb safes DUO FORCE T2 V-245	H974 W824 D764	H790 W640 D483	245 L	1137 kg	2
Chubb safes DUO FORCE T2 V-405	H1494 W824 D764	H1310 W640 D483	405 L	1588 kg	3
Chubb safes DUO FORCE T2 V-520	H1874 W824 D764	H1690 W640 D483	520 L	1993 kg	4
Chubb safes DUO FORCE T2 V-885	H1874 W1274 D764	H1690 W1090 D483	885 L	2766 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Chubb safes DUOFORCE T2 V-1090	H1874 W1524 D764	H1690 W1340 D483	1090 L	3180 kg	4

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Chubb safes DUOFORCE T2 VI-95	H994 W594 D604	H790 W390 D303	95 L	801 kg	2
Chubb safes DUOFORCE T2 VI-245	H994 W844 D784	H7990 W640 D483	245 L	1268 kg	2
Chubb safes DUOFORCE T2 VI-405	H1514 W844 D784	H1310 W640 D483	405 L	1741 kg	3
Chubb safes DUOFORCE T2 VI-520	H1894 W844 D787	H1690 W640 D483	520 L	2187 kg	4
Chubb safes DUOFORCE T2 VI-885	H1894 W1294 D784	H1690 W1090 D483	885 L	3033 kg	4
Chubb safes DUOFORCE T2 VI-1090	H1894 W1544 D784	H1690 W1340 D483	1090 L	3488 kg	4