Atelier Boonen - Asecos Q-LINE Classic 90



Additional information

brand: Asecos

Asecos Q-LINE Classic 90 – Robust safety cabinet for flammable materials

The Asecos Q-LINE Classic 90 is a highly durable safety cabinet designed for the unrestricted storage of flammable hazardous substances in workspaces. With 90-minute fire resistance (type 90), tested according to EN 14470-1 and compliant with TRGS 510, it offers maximum protection for people, buildings, and the environment.

Its rugged design, scratch-resistant surface and triple-hinged doors make it ideal for frequent use. An integrated transport base allows upright movement through standard doorways. The cylinder lock with red/green indicator ensures secure locking and can be connected to an existing master key system.

Thanks to its modular interior, the cabinet can be equipped with self-closing drawers, spill trays, chemically resistant shelves, or dividers for storing different material classes safely.

The Q-LINE is triple-certified (EN, FM, UL) and meets the highest international safety standards. Its modern bicolour design also adds style to any technical workspace.

The Belgian rules for storing flammable liquids, from the Code to the regional thresholds, are explained in our guide to the storage of hazardous substances.

See also our other safety cabinets for flammable products, supplied and installed by our own team in Belgium.

- 90-minute fire resistance (type 90)
- Type-tested according to EN 14470-1
- Suitable under the German TRGS 510 for storage in work areas
- Triple-certified: EN 14470-1, FM 6050, UL/ULC 1275
- Extremely robust design with scratch-proof surface
- Triple-hinged doors stay open at any angle
- Cylinder lock with red/green indicator, master key compatible
- Integrated transport base for upright inhouse movement
- Ventilation ready (DN 75 duct connectors)
- Modern bicolour door options (7 colours)
- Modular interior layout:
  - Self-closing drawers
  - Shelves with spill containment
  - Chemically resistant trays with plastic sump
  - Optional dividers for separate storage areas
- CE compliant, GS tested, according to EN 16121 and EN 16122

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Asecos Q90.195.060	H1953 W599 D615	H1647 W450 D522	387 L	291 kg	0
Asecos Q90.195.090	H1953 W893 D615	H1647 W750 D522	645 L	383 kg	0
Asecos Q90.195.120	H1953 W1193 D615	H1647 W1050 D522	903 L	462 kg	3