Atelier Boonen - Asecos Q-LINE Classic 30



Additional information

brand: Asecos

Asecos Q-LINE Classic 30 – Safety cabinet / chemical storage cabinet (30 minutes)

The Asecos Q-LINE Classic 30 is a durable safety cabinet, also referred to as a chemical storage cabinet, designed for the safe storage of flammable hazardous materials in workplaces. It offers 30 minutes of fire resistance (type 30), tested according to EN 14470-1 and compliant with TRGS 510.

With its integrated transport base, the cabinet can be easily moved upright through standard doorways. The cylinder lock with status indicator ensures secure access, and the air duct connection (DN 75) allows for safe extraction of hazardous vapours to prevent explosive atmospheres.

The cabinet is triple certified (EN 14470-1, FM, UL), and comes in a choice of 7 modern door colours at no additional cost. A smart, practical solution for effective chemical safety in labs, workshops, and technical

spaces.

The Belgian rules for storing flammable liquids, from the Code to the regional thresholds, are explained in our guide to the storage of hazardous substances.

See also our other safety cabinets for flammable products, supplied and installed by our own team in Belgium.

- Fire resistance of 30 minutes (type 30)
- Type-tested in accordance with EN 14470-1
- Compliant with TRGS 510
- Triple certified: EN 14470-1, FM 6050, UL/ULC 1275
- Conformity with EN 16121 and EN 16122 (safety, stability, durability)
- Robust steel construction with scratch-resistant bi-colour finish
- Cylinder lock, integrable into existing master key systems
- Integrated transport base for upright movement indoors
- Ventilation ducts ready for connection (DN 75)
- Available in 7 door colours at no extra cost
- Customisable interior fittings: sump trays, shelves, drawers (optional)
- CE marked and GS certified

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Asecos Q30.195.056	H1947 W564 D620	H1626 W450 D519	380 L	167 kg	0
Asecos Q30.195.086.WD	H1947 W864 D620	H1626 W750 D519	633 L	212 kg	0
Asecos Q30.195.116	H1947 W1164 D620	H1626 W1050 D519	886 L	259 kg	0