Atelier Boonen - Asecos K-LINE Combi



Additional information

brand: Asecos

Asecos K-LINE Combi – 3-in-1 Chemical Safety Cabinet

The Asecos K-LINE Combi is a multifunctional chemical safety cabinet that enables safe and separated storage of flammable liquids, acids, and alkalis in a single unit. With two hermetically sealed compartments divided by a fire-resistant partition wall, the cabinet ensures regulatory compliance for storing various hazardous substances.

The type 90 compartment is tested in accordance with EN 14470-1 and offers 90 minutes of fire resistance. A hold-open mechanism allows safe and convenient access to stored containers. The doors can be closed manually and locked using a profile cylinder lock.

Metal-free air ducts are corrosion-resistant and pre-fitted for connection to an exhaust system (DN 75). An optional lockable storage box for toxic substances is available to enhance overall safety.

With its robust construction, modular interior, and scratch-resistant coating, the K-LINE Combi cabinet is a dependable solution for laboratories and industrial workspaces.

The Belgian rules for storing flammable liquids, from the Code to the regional thresholds, are explained in our guide to the storage of hazardous substances.

See also our other safety cabinets for flammable products, supplied and installed by our own team in Belgium.

- Safety storage cabinet with 90 minutes fire resistance (type 90), type-tested according to EN 14470-1
- Two hermetically separated compartments with fire-resistant partition wall

- Separated storage of flammable, acidic and corrosive substances in one cabinet
- Integrated ventilation ducts (DN 75), corrosion-resistant and ready for connection to an exhaust system
- Door hold-open mechanism on the fire-resistant compartment
- Doors can be closed manually and are lockable with profile cylinder lock
- Optional: toxic substances storage box, separately lockable
- Conforms to EN 16121 and EN 16122 (safety, durability, stability)
- GS-certified (document EK5/AK4 09-10, ProdSG)
- Robust construction with scratch-resistant powder coating (light grey RAL 7035)

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Asecos K90.196.120.MC.FWAS	H1969 W1197 D617	H862 W491 D542	0 L	535 kg	4
Asecos K90.196.120.MC.FWAC	H1969 W1197 D617	H862 W491 D542	0 L	535 kg	4