Atelier Boonen - Asecos UB-LINE



Additional information

brand: Asecos

Asecos UB-LINE – Type 90 under-bench safety cabinet for labs and workshops

The Asecos UB-LINE is a safety cabinet for flammable liquids that fits under a fume cupboard, lab bench or worktop, keeping solvents and reagents within reach of the workstation in a cabinet that is fire-resistant for 90 minutes to EN 14470-1 (type 90). It is GS certified and complies with EN 16121 and EN 16122; several models are also tested to UL/ULC 1275.

With 4 widths, 3 depths and 2 heights, the UB-LINE fits most laboratory furniture systems, and add-on panels adjust the height. The drawers stay open in any position and give a full view of all containers; an optional second drawer uses the inside height for small containers. Versions with hinged doors open wide onto the whole storage space.

Doors and drawers lock with a cylinder lock with status indicator (red closed, green open). Integrated air ducts are ready for connection (ø 50 mm) to mechanical extraction, and a recirculating filter for under-bench cabinets is available where ducting to outside is not possible. Optional castors with plinth and brake make the cabinet easy to move.

The Belgian rules for storing flammable liquids, from the Code to the regional thresholds, are explained in our guide to the storage of hazardous substances.

See also our other safety cabinets for flammable products, supplied and installed by our own team in Belgium.

- Fire-resistant 90 minutes (type 90) to EN 14470-1
- GS certified, compliant with EN 16121 and EN 16122; several models also tested to UL/ULC 1275
- For under a fume cupboard, lab bench or worktop
- 4 widths, 3 depths and 2 heights; add-on panels for height adjustment

- Drawers that stay open in any position; optional second drawer
- Cylinder lock with status indicator (red = closed, green = open)
- Ducts ready for ø 50 mm connection to mechanical extraction
- Options: recirculating filter for under-bench cabinets, castors with plinth and brake

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Asecos UB90.060.059.S	H600 W593 D574	H502 W470 D452	107 L	115 kg	1
Asecos UB90.060.089.S	H600 W893 D574	H502 W771 D452	175 L	151 kg	1
Asecos UB90.060.110.2S	H600 W1102 D574	H502 W979 D452	222 L	186 kg	2
Asecos UB90.060.140.2S	H600 W1402 D574	H502 W1279 D452	290 L	228 kg	2
Asecos UB90.060.059.T	H600 W593 D574	H502 W470 D452	107 L	111 kg	0
Asecos UB90.060.089.2T	H600 W893 D574	H502 W771 D452	175 L	149 kg	0
Asecos UB90.060.110.2T	H600 W1102 D574	H502 W979 D452	222 L	178 kg	0
Asecos UB90.080.059.060.S	H800 W593 D600	H702 W470 D482	159 L	143 kg	1
Asecos UB90.080.110.060.2S	H800 W1102 D600	H702 W979 D482	331 L	227 kg	2
Asecos UB90.080.059.060.T	H800 W593 D600	H702 W470 D482	159 L	139 kg	0
Asecos UB90.080.110.060.2T	H800 W1102 D600	H702 W979 D482	331 L	0 kg	0
Asecos UB90.080.110.075.2T	H800 W1102 D752	H701 W979 D626	430 L	227 kg	0