Atelier Boonen - Asecos V-LINE



Additional information

brand: Asecos

Asecos V-LINE – Type 90 safety cabinet with vertical pull-out drawers

The Asecos V-LINE is a safety cabinet for flammable liquids that works differently from a cabinet with doors: storage is in vertical drawers that you pull fully out of the cabinet. You see and take every container from both sides, without having to move bottles at the front first. The cabinet is fire-resistant for 90 minutes to EN 14470-1 (type 90), GS certified and compliant with EN 16121 and EN 16122.

At 86 cm deep, the V-LINE fits the space next to a fume cupboard or workbench, a spot a conventional safety cabinet usually leaves unused. According to Asecos, a V-LINE offers as much storage as a standard cabinet at half the width. There are versions 45 cm wide with one drawer and 81 cm wide with two drawers. On the V-MOVE-90 the drawers are electrically operated; the 60 cm wide V-CLASSIC-90 MULTIRISK lets you store different hazardous substances in one cabinet.

The pull-out shelves can be fitted with a rail that gives containers extra protection against tipping, and a sump at the bottom collects any leakage. Like every safety cabinet, the V-LINE is ready for connection to mechanical extraction. You choose a two-colour version with five door colours or a single-colour version in two colours.

The Belgian rules for storing flammable liquids, from the Code to the regional thresholds, are explained in our guide to the storage of hazardous substances.

See also our other safety cabinets for flammable products, supplied and installed by our own team in Belgium.

- Fire-resistant 90 minutes (type 90) to EN 14470-1
- GS certified, compliant with EN 16121 and EN 16122
- Vertical pull-out drawers, access to containers from both sides
- Depth 86 cm, for next to a fume cupboard or workbench
- Width 45 cm (1 drawer) or 81 cm (2 drawers); V-CLASSIC-90 MULTIRISK 60 cm
- V-MOVE-90: electrically operated drawers
- Pull-out shelves, optionally with rail; sump at the bottom
- Ready for connection to mechanical extraction
- Two-colour version (5 door colours) or single-colour version (2 colours)

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Asecos V90.196.045.VDAC	H1966 W449 D860	H1750 W331 D775	449 L	369 kg	5
Asecos V90.196.081.VDAC	H1966 W819 D860	H1750 W701 D775	951 L	557 kg	10
Asecos V90.196.060.MV.2VD	H1966 W600 D860	H1750 W506 D779	690 L	0 kg	0