Atelier Boonen - Asecos E-CLASSIC



Additional information

brand: Asecos

Asecos E-CLASSIC – environmental cabinet for hazardous liquids

The asecos E-CLASSIC is designed for storing environmentally hazardous liquids in work areas, such as oils, greases or cleaning and maintenance products. Galvanised sump shelves and a bottom sump catch leaks, so that nothing ends up in the soil or the sewer.

The cabinet is not fire-resistant. Choose the F version with a built-in type 30 safety box for a small quantity of flammable liquids; larger quantities belong in a safety cabinet for flammable products.

The hinged doors close with a profile cylinder lock, so unauthorised persons cannot access the contents. The cabinet is prepared for connection (ø 75 mm) to mechanical extraction, with natural ventilation at the bottom. The .2 versions have liquid-tight sump shelves; the EM version can also serve as a material cabinet.

How to store and ventilate hazardous substances correctly is explained in our guide to the storage of hazardous substances.

See also our other plant protection and environmental cabinets, delivered and installed by our own team in Belgium.

- Environmental cabinet for environmentally hazardous liquids, not fire-resistant
- F version: built-in type 30 safety box for a small quantity of flammable liquids

- Galvanised sump shelves (20 l capacity) and bottom sump (20.5 l); .2 version with liquid-tight sump shelves
- Hinged doors with profile cylinder lock
- Prepared for ø 75 mm extraction, natural ventilation at the bottom
- Colour: body gentian blue (RAL 5010), doors light grey (RAL 7035); F versions with ruby red doors (RAL 3003)

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Asecos E.195.095	H1935 W950 D500	H1845 W945 D460	802 L	137 kg	0
Asecos E.195.095.2	H1935 W950 D500	H1845 W945 D460	802 L	137 kg	0
Asecos E.140.095	H1400 W950 D500	H1297 W945 D460	564 L	87 kg	0
Asecos E.140.095.2	H1400 W950 D500	H1297 W945 D460	564 L	87 kg	0
Asecos E.195.095.F	H1935 W950 D500	H1845 W945 D460	802 L	148 kg	0
Asecos E.195.095.F2	H1935 W950 D500	H1845 W945 D460	802 L	156 kg	0
Asecos EM.195.095.F	H1935 W950 D500	H1843 W945 D460	801 L	133 kg	0