Atelier Boonen - Asecos E-PSM



Additional information

brand: Asecos

Asecos E-PSM – cabinet for plant protection products

The asecos E-PSM is fitted out for storing plant protection products in work areas. Under the Royal Decree of 19 March 2013, a professional user keeps the products in a plant protection store or in a cabinet intended for that purpose: dry, effectively ventilated and locked. The E-PSM closes with a profile cylinder lock and catches leaks in galvanised sump shelves and a bottom sump.

The cabinet is not fire-resistant. With the F version, which has a built-in type 30 safety box, you can also store a small quantity of flammable liquids in it; larger quantities belong in a safety cabinet for flammable products.

The cabinet is prepared for connection (ø 75 mm) to mechanical extraction, with natural ventilation at the bottom. The door must carry the text "no entry for unauthorised persons", a hazard symbol and the details and phytolicence number of the person in charge. The .2 versions have liquid-tight sump shelves.

How to store and ventilate hazardous substances correctly is explained in our guide to the storage of hazardous substances.

See also our other plant protection and environmental cabinets, delivered and installed by our own team in Belgium.

- Cabinet for plant protection products, not fire-resistant

- F version: built-in type 30 safety box for a small quantity of flammable liquids
- Galvanised sump shelves (20 l capacity) and bottom sump (20.5 l); .2 version with liquid-tight sump shelves
- Hinged doors with profile cylinder lock
- Prepared for ø 75 mm extraction, natural ventilation at the bottom
- Colour: body and doors turquoise green (RAL 6016)

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
Asecos EP.195.095	H1935 W950 D500	H1843 W945 D460	801 L	99 kg	0
Asecos EP.195.095.2	H1935 W950 D500	H1843 W945 D460	801 L	112 kg	0
Asecos EP.195.095.F	H1935 W950 D500	H1843 W945 D460	801 L	147 kg	0
Asecos EP.195.095.F2	H1935 W950 D500	H1843 W945 D460	801 L	156 kg	0