Atelier Boonen - DRS Prisma I key safe



Additional information

brand: De Raat Safes

DRS Prisma I for keys: EN 1143-1 grade 1, from 64 to 1040 hooks

The De Raat DRS Prisma I key safe is a Prisma I fitted out for keys. The body, door and locking are the same as on the DRS Prisma I, and the safe is certified to EN 1143-1 in grade 1. It holds from 64 to more than 1000 keys, behind a certified safe lock.

The body and door have a multi-walled construction with multi-layer protection and no concrete filling. The door locks on four sides: on three sides with round, solid steel bolts and on the hinge side with a continuous hook profile that engages the body over the full height of the door.

There are three versions. The Keysafe comes in thirteen models from 64 to 1040 hooks; the L models have a shelf at the top for folders or small devices. The Keysafe XL has larger hooks for key bunches and tagged keys, from 72 to 384 hooks. The Key Plus is made for large numbers of car keys: extra-large hooks with more spacing on height-adjustable hook strips, and a lockable inner compartment 340 mm high, for example for work orders. The Key Plus 400 has one door; the other Key Plus models have two doors.

As standard, the safe has a double-bit key lock. On request, De Raat supplies an electronic combination lock, with or without an emergency key; see also our safe locks. The safe is prepared for floor and wall anchoring. For a comfortable working height there is a plinth of 100, 300, 500 or 800 mm; the Key Plus 330 comes with a 500 mm plinth as standard and is anchored to both the plinth and the wall. Our own team handles delivery, installation and anchoring.

See also our other key safes or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

- Burglary resistance: EN 1143-1 grade 1
- Indicative value retention class 1: € 10 000 cash or € 20 000 valuables
- Construction: multi-walled body and door, as on the DRS Prisma I
- Locking: on four sides, with round steel bolts on three sides and a hook profile on the hinge side
- Keysafe: 13 models, 64 to 1040 hooks; L models with a shelf
- Keysafe XL: 5 models, 72 to 384 larger hooks
- Key Plus: 5 models, 330 to 1000 extra-large hooks on adjustable hook strips, lockable inner compartment of 340 mm; Key Plus 400 with one door, the others with two doors
- Lock: double-bit key lock as standard; electronic combination lock on request
- Anchoring: prepared for floor and wall anchoring
- Plinth: 100, 300, 500 or 800 mm available; Key Plus 330 with a 500 mm plinth as standard
- Colour: RAL 7035 light grey

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves	Key hooks
Keysafe 64	H400 W400 D270	H350 W341 D157	19 L	42 kg	0	64
Keysafe 160	H400 W420 D420	H350 W361 D307	39 L	67 kg	0	160
Keysafe 280	H500 W500 D420	H450 W441 D307	61 L	88 kg	0	280
Keysafe 280 L	H650 W500 D420	H600 W441 D307	81 L	102 kg	1	280
Keysafe 440	H650 W500 D420	H600 W441 D307	81 L	107 kg	0	440
Keysafe 440 L	H800 W500 D420	H750 W441 D307	102 L	122 kg	1	440
Keysafe 560 L	H1150 W500 D420	H1100 W441 D307	149 L	169 kg	1	560
Keysafe 600	H800 W500 D420	H750 W441 D307	102 L	130 kg	0	600
Keysafe 600 L	H1000 W500 D420	H950 W441 D307	129 L	150 kg	1	600
Keysafe 720	H1000 W500 D420	H950 W441 D307	129 L	159 kg	0	720
Keysafe 880	H1150 W500 D420	H1100 W441 D307	149 L	179 kg	0	880
Keysafe 880 L	H1300 W500 D420	H1250 W441 D307	169 L	194 kg	1	880
Keysafe 1040	H1300 W500 D420	H1250 W441 D307	169 L	202 kg	0	1040
Keysafe XL 72	H400 W420 D420	H350 W361 D307	39 L	67 kg	0	72
Keysafe XL 144	H500 W500 D420	H450 W441 D307	61 L	88 kg	0	144
Keysafe XL 192	H650 W500 D420	H600 W441 D307	81 L	107 kg	0	192
Keysafe XL 288	H1000 W500 D420	H950 W441 D307	129 L	159 kg	0	288

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves	Key hooks
Keysafe XL 384	H1150 W500 D420	H1100 W441 D307	149 L	179 kg	0	384
Key Plus 330	H1630 W1245 D485	H1080 W1185 D370	480 L	300 kg	0	330
Key Plus 400	H1830 W570 D485	H1730 W520 D370	333 L	260 kg	0	400
Key Plus 630	H1830 W1245 D600	H1780 W1185 D490	1034 L	445 kg	0	619
Key Plus 800	H1830 W1245 D600	H1780 W1185 D490	1034 L	460 kg	0	800
Key Plus 1000	H1830 W1245 D600	H1780 W1185 D490	1034 L	490 kg	0	1000