Atelier Boonen - ATB AB



Additional information

brand: ATB Safes

ATB AB – Steel cabinet for documents and equipment, also demountable

The ATB AB is a steel cabinet for keeping large amounts of documents, files or equipment under lock, for companies, institutions and hospitals. The body is single-walled, the doors are double-walled. The cabinet is not certified: it has not been tested to a European burglary or fire standard.

The AB has no fire-resistant insulation and therefore does not protect against fire. If you want to store paper or data with tested fire protection, choose one of our fire-resistant cabinets.

The AB comes in three sizes. The AB3 has one door and is 1000 mm high, 700 mm wide and 530 mm deep,

with 315 litres of capacity and two shelves. The AB1 has two doors and is 1800 mm high, 1000 mm wide and 530 mm deep, with 803 litres of capacity and four shelves. The AB2 is the demountable version: two doors, 2000 mm high, 1000 mm wide and 500 mm deep, with 760 litres of capacity and four shelves. The shelves are height-adjustable and prepared for A4 hanging folders.

The AB2 is delivered in panels and bolted together on site: base, side walls, back wall, top panel and doors. This way the cabinet also fits through a narrow staircase or door. We assemble and anchor the cabinet on site.

The body is made of 2.5 mm steel, the doors are double-walled in 2 + 1 mm steel. The door locks with a handle and six Ø 20 mm bolts: four on the lock side, one at the top and one at the bottom. A drill-proof armour plate protects the lock, a relocker blocks the bolts in the event of an attack and an anti-pry profile protects the hinge side. On the AB1 and AB3, the doors open 180°. The cabinet can be anchored to the floor and wall.

As standard, the AB has a double-bit key lock (EN 1300 class A). On request, it can be fitted with a mechanical code lock or an electronic code lock with time delay (both EN 1300 class B), or with two locks: the key lock combined with a mechanical or electronic code lock. Colour: white aluminium RAL 9006, epoxy-polyester paint cured at 180 °C.

Looking for a heavier, double-walled cabinet? See the ATB AI. For a cabinet tested against both fire and burglary, choose our ATB PSL: burglary resistance S2 (EN 14450) and 30 minutes of fire protection for paper (EN 15659, LFS 30P).

See also our other security cabinets or read how to approach buying a safe in Belgium, with delivery and installation by our own team.

- Not certified against burglary or fire
- Body in 2.5 mm steel, double-walled doors 2 + 1 mm
- Six Ø 20 mm bolts: four on the lock side, one at the top, one at the bottom
- Drill-proof armour plate, relocker and anti-pry profile on the hinge side
- Double door: AB1 and AB2
- AB2 demountable, assembled on site
- Standard equipped with double-bit key lock
- Height-adjustable shelves, prepared for A4 hanging folders
- Prepared for floor and wall anchoring
- Depth including handle: AB1 and AB3 575 mm, AB2 545 mm
- Space with door open: AB1 1890 mm wide and 1030 mm deep, AB2 1500 mm wide and 925 mm deep, AB3 1300 mm wide and 1180 mm deep
- Colour: RAL 9006 white aluminium

Model specifications

Model	Outer dimensions (mm)	Internal dimensions (mm)	Volume (L)	Weight (kg)	Shelves
ATB AB3L	H1000 W700 D530	H995 W695 D450	315 L	88 kg	2
ATB AB1L	H1800 W1000 D530	H1795 W995 D450	803 L	185 kg	4
ATB AB2L	H2000 W1000 D500	H1995 W901 D423	760 L	220 kg	4